



**PROJECT MANAGEMENT UNIT
PUNJAB SEED CORPORATION**



Bidding Documents

REQUEST FOR TENDER

CPO/PMU/PSC/24/19

**Rehabilitation/Upgradation of Punjab Seed Corporation
Processing Units
(4-LOTS)
SAHIWAL, KHANEWAL, RY KHAN & PIPLAN**

Single Stage Two Envelope

In line with PPRA Rules 2014

Table of Contents

SECTION-I: INVITATION TO BIDS.....	5
SECTION-II: INSTRUCTIONS TO BIDDERS (ITB)	6
2.1. INTRODUCTION.....	6
2.1.1 <i>Scope of Bid</i>	6
2.1.2 <i>Source of Funds</i>	6
2.1.3 <i>Eligible Bidders</i>	6
2.1.4. <i>Eligible Goods and Services</i>	9
2.1.5. <i>Cost of Bidding</i>	10
2.1.6. <i>One person one bid</i>	10
2.2. THE BIDDING DOCUMENTS.....	11
2.2.1. <i>Content of Bidding Documents</i>	11
2.2.2. <i>Clarification of Bidding Documents</i>	12
2.2.3. <i>Amendment of Bidding Documents</i>	13
2.3. PREPARATION OF BIDS.....	13
2.3.1. <i>Language of Bid</i>	14
2.3.2. <i>Bid Form</i>	14
2.3.3. <i>Bid Prices</i>	14
2.3.4. <i>Bid Currencies</i>	14
2.3.5. <i>Documents Establishing Bidder's Eligibility and Qualification</i>	14
2.3.6. <i>Documents Establishing Goods' Eligibility and Conformity to Bidding Documents</i> ..	15
2.3.7. <i>Bid Security</i>	17
2.3.8. <i>Period of Validity of Bids</i>	18
2.3.9. <i>Format and Signing of Bid</i>	19
2.4. SUBMISSION OF BIDS.....	19
2.4.1 <i>Sealing and Marking of Bids</i>	20
2.4.2 <i>Deadline for Submission of Bids</i>	21
2.4.3. <i>Late Bids</i>	22
2.4.4. <i>Modification and Withdrawal of Bids</i>	22
2.5. OPENING AND EVALUATION OF BIDS.....	23
2.5.1. <i>Opening of Bids by the Procuring Agency</i>	23
2.5.2. <i>Confidentiality</i>	24
2.5.3. <i>Clarification of Bids</i>	25
2.5.4. <i>Preliminary Examination</i>	26
2.5.5. <i>Examination of Terms and Conditions; Technical Evaluation</i>	27
2.5.6. <i>Correction of Errors</i>	27
2.5.7. <i>Conversion to Single Currency</i>	28
2.5.8. <i>Post-Qualification & Evaluation of Bids</i>	28
2.5.9. <i>Contacting the Procuring Agency</i>	29
2.5.10. <i>Grievance Redressal</i>	29
2.6. AWARD OF CONTRACT.....	30
2.6.1. <i>Notification of Award</i>	30
2.6.2. <i>Performance Guarantee</i>	30
2.6.3. <i>Signing of Contract/ Issuance of Purchase Order</i>	31
2.6.4. <i>Award Criteria</i>	31
2.6.5. <i>Procuring Agency's Right to Vary Quantities at Time of Award</i>	31
2.6.6. <i>Procuring Agency's Right to Accept or Reject All Bids</i>	31
2.6.7. <i>Re-Bidding</i>	32
2.6.8. <i>Corrupt or Fraudulent Practices</i>	33
2.6.9. <i>Quantity and volume of the goods to be considered in mind</i>	37
SECTION-III. TECHNICAL SPECIFICATIONS	38
3.1. TECHNICAL SPECIFICATIONS.....	39
SECTION-IV: BID DATA SHEET	59
A. INTRODUCTION.....	60
B. BIDDING DOCUMENTS.....	61

C. BID PRICE, CURRENCY, LANGUAGE AND COUNTRY OF ORIGIN.....	61
D. PREPARATION AND SUBMISSION OF BIDS.....	61
E. OPENING AND EVALUATION OF BIDS.....	63
F. BID EVALUATION CRITERIA.....	63
<i>Evaluation Criteria</i>	64
G. AWARD OF CONTRACT.....	66
SECTION-V: GENERAL CONDITIONS OF CONTRACT	67
1. DEFINITIONS.....	67
2. APPLICATION.....	68
3. COUNTRY OF ORIGIN	68
4. STANDARDS.....	68
5. USE OF CONTRACT DOCUMENTS AND INFORMATION; INSPECTION AND AUDIT BY THE PROCURING AGENCY.	68
6. PATENT RIGHTS.....	69
7. PERFORMANCE GUARANTEE	69
8. INSPECTIONS AND TESTS.....	69
9. PACKING	70
10. DELIVERY AND DOCUMENTS.....	70
11. INSURANCE.....	71
12. TRANSPORTATION.....	71
13. INCIDENTAL SERVICES.....	71
14. SPARE PARTS	72
15. WARRANTY.....	72
16. PAYMENT.....	73
17. PRICES	73
18. CHANGE ORDERS	73
19. CONTRACT AMENDMENTS	74
20. ASSIGNMENT.....	74
21. SUB-CONTRACTS	74
22. DELAYS IN THE SUPPLIER'S PERFORMANCE.....	74
23. LIQUIDATED DAMAGES.....	75
24. TERMINATION FOR DEFAULT.....	75
25. FORCE MAJEURE	77
26. TERMINATION FOR INSOLVENCY	77
27. TERMINATION FOR CONVENIENCE.....	77
28. RESOLUTION OF DISPUTES.....	78
29. GOVERNING LANGUAGE.....	78
30. APPLICABLE LAW	78
31. NOTICES.....	78
32. TAXES AND DUTIES.....	79
SECTION-VI. SPECIAL CONDITIONS OF CONTRACT.....	80
SPECIAL CONDITIONS OF CONTRACT	81
1. <i>Definitions (GCC Clause 1)</i>	81
2. <i>Country of Origin (GCC Clause 3)</i>	81
3. <i>Performance Guarantee (GCC Clause 7)</i>	81
4. <i>Inspections and Tests (GCC Clause 8)</i>	81
5. <i>Packing (GCC Clause 9)</i>	81
6. <i>Delivery and Documents</i>	82
7. <i>Insurance (GCC Clause 11)</i>	82
8. <i>Incidental Services (GCC Clause 13)</i>	82
9. <i>Spare Parts (GCC Clause 14)</i>	82
10. <i>Warranty (GCC Clause 15)</i>	82
11. <i>Sample Provision (GCC Clause 11)</i>	82
Deleted	82
12. <i>Payment (GCC Clause 16)</i>	82

13. <i>Prices (GCC Clause 17)</i>	83
14. <i>Liquidated Damages (GCC Clause 23)</i>	83
15. <i>Resolution of Disputes (GCC Clause 28)</i>	83
16. <i>Governing Language (GCC Clause 29)</i>	83
17. <i>Applicable Law (GCC Clause 30)</i>	83
18. <i>Notices (GCC Clause 31)</i>	83
SECTION-VII. SCHEDULE OF REQUIREMENTS	85
7.1 SCHEDULE OF REQUIREMENTS	86
SECTION-VIII: SAMPLE FORMS.....	87
8.1. GENERAL INFORMATION FORM.....	88
8.2. BIDDER PROFILE FORM.....	89
8.3. TECHNICAL BID FORM	90
8.4. FINANCIAL CAPABILITY FORM.....	111
8.5. RELEVANT EXPERIENCE FORM	112
8.6 BID FORM (FINANCIAL BID).....	114
8.7. PRICE SCHEDULE	117
8.8 BIDDER’S JV MEMBERS INFORMATION FORM.....	138
8.9. AFFIDAVIT.....	139
8.10. BID SECURITY FORM (IN CASE OF BANK GUARANTEE)	140
8.11. PERFORMANCE GUARANTEE FORM (IN CASE OF BANK GUARANTEE)	141
8.12. CONTRACT FORM	142
SECTION IX- CHECK LIST	143

Section-I: Invitation to Bids

1. Project Management Unit, Punjab Seed Corporation (PMU-PSC), now invites sealed bids from eligible bidders; well reputed Companies/ Firms, for the following.

Sr. #	Description	Lot No.	Required Category of PEC
1.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit Sahiwal	Lot-1	C-4 EE-04, ME-06
2.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit Khanewal	Lot-2	C-4 EE-04, ME-06
3.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit RY Khan	Lot-3	C-4 EE-04, ME-06
4.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit Sahiwal Piplan	Lot-4	C-4 EE-04, ME-06

2. Bidding shall be conducted through Open Competitive Bidding (Single Stage-Two Envelope) procedures **separately against each Lot**, specified in the Rule No. 38-2 of PPRA rules 2014 and is open to all eligible bidders as defined in the bidding document.
3. Interested eligible bidders may obtain bidding documents and further information from the office of PMU-PSC, after written submission of application in the name of **Chief Procurement Officer, PMU-PSC** at the cost of Rs. **3,000/- (Non-Refundable)**, to be deposited in “**The Bank of Punjab (Any Branch)**” in the Account titled “**Punjab Seed Corporation Project Management Unit**”, **A/c # 6580047766100078**, during office hours or can be accessed online at www.ppra.punjab.gov.pk , www.psc.agripunjab.gov.pk. Late Proposals will be rejected. Bids of only those bidders will be entertained who purchased the Tender document.
4. Sealed Bids (Technical & Financial sealed in separate envelopes with clear marking) **separately against each Lot**, must be delivered to the above office **on or before 2:00 PM on June 25, 2024** and must be accompanied by a Bid Security of:
- i) Rs. 600,000/- for Lot-1
 - ii) Rs. 550,000/- for Lot-2
 - iii) Rs. 450,000/- for Lot-3
 - iv) Rs. 150,000/- for Lot-4
- which is 2% Approx. of the estimated price (to be provided with technical proposal) , in the form of Bank Guarantee/Demand Draft/CDR/Pay Order, the Bid Security is as per PPRA Rule # 27 which states “**The procuring agency may require the bidders to furnish a bid security not exceeding five per cent of the estimated price**”
5. **Pre-Bid Meeting** is scheduled on **June 11, 2024, at 11 AM**, at address given below.
6. Bids received against each Lot, will be opened in the presence of bidders’ representatives who choose to attend at **2:30 PM** in the Office of PMU-PSC, on the same date i.e. **June 25, 2024** (with original CNICs of bidders/representatives).
7. The bidders are requested to give their best and final prices as no negotiations are permissible as per PPRA Rules and regulations.

Chief Procurement Officer
Project Management Unit, Punjab Seed Corporation (PMU-PSC),
4-Lytton Road, Lahore.
Tel: 042-37236344

Section-II: Instructions to Bidders (ITB)

2.1. Introduction

2.1.1 Scope of Bid

- i) The Procuring Agency (PA), as indicated in the Bid Data Sheet (BDS) invites Bids for the provision of Goods as specified in the Section-IV Bid Data Sheet (BDS) and Section III - Technical Specifications & Section VII-Schedule of Requirements. Successful Bidders will be expected to deliver, install/ commissioning) the goods within the specified period and timeline(s) as stated in the BDS.

2.1.2 Source of Funds

- i) The Procuring Agency named in the Bid Data Sheet has received a budget from the Government of Punjab. The Procuring Agency intends to apply the provided funds/ a portion of this budget to make eligible payments under the contract for which the Invitation to bids has been issued.

2.1.3 Eligible Bidders

- i) The Invitation to Bids is open to all suppliers i.e. association of firms/companies/sole proprietor/ general order suppliers/ JVs, registered with relevant Registration Authorities and Tax Departments/ Authorities (Income Tax, Sales Tax & Punjab Sales Tax etc.) [**to be decided by the Procuring Agency**], except as provided hereinafter.
- ii) Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consultancy services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation to Bids [if applicable].
- iii) Government-owned enterprises may participate only if they are duly/legally authorized in this regard by the respective/relevant competent forum/authority.
- iv) Bidders shall not be under a declaration of blacklisting by any Government department/other Procuring Agency or by Punjab Procurement Regulatory Authority (PPRA). During the Procurement Process / execution of the Contract, if the firm/ bidder is blacklisted by any Government department/other Procuring Agency or by Punjab Procurement Regulatory Authority (PPRA), if such blacklisted bidder wants to execute the contract awarded

after its blacklisting, the bidder/ firm shall provide 100% Bank Guarantee against the awarded Contract value and in case the bidder regret to do so then the Procuring Agency may proceed with second lowest evaluated bidder.

- v) In the case of a Joint Venture, Consortium, or Association, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The Joint Venture, Consortium, or Association shall nominate a Lead Member as nominated in the BDS, who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture, consortium, or association during the Bidding process, and in case of award of contract, during the execution of contract.
- vi) The appointment of Lead Member in the Joint Venture, Consortium, or Association shall be confirmed by submission of a valid JV or Consortium agreement to the Procuring Agency.
- vii) Any agreement that form a Joint Venture, Consortium or Association shall be required to be submitted as part of the Bid and shall be attested.
- viii) Any bid submitted by the Joint Venture, Consortium or Association shall indicate the part of proposed contract to be performed by each party and each party shall be evaluated or post qualified with respect to its contribution only and the responsibilities of each party and shall not be substantially altered without prior written approval of the Procuring Agency and in line with any instructions issued by the Authority.
- ix) The invitation for Bids is open to all prospective Supplier, Manufacturers or Authorized Agents/Dealers/Distributors subject to any provisions or licensing/regulatory requirements issued by the respective National/ Provincial Professional Statutory Body established for that particular trade or business as mentioned in bid data sheet.
- x) A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be non-Responsive. A Bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if they:

- a) Are associated or have been associated for the procurement of the goods to be purchased under this Invitation for Bids, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for the preparation of the design, specifications and other documents to be used.
- b) Have controlling shareholders in common; or
- c) Receive or have received any direct or indirect subsidy from any of them; or
- d) Have the same legal representative for purposes of this Bid; or
- e) Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Agency regarding this Bidding process; or

xii) A Bidder may be ineligible if –

- (a) The Bidder is declared bankrupt or, in the case of company or firm, insolvent;
- (b) Payments in favor of the Bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting, in accordance with the national laws, in the total or partial loss of the right to administer and dispose of its property;
- (c) Legal proceedings are established against such Bidder involving an order suspending payments and which may result, in accordance with the national laws, in a declaration of bankruptcy or in any other situation entailing the total or partial loss of the right to administer and dispose of the property;
- (d) The Bidder is convicted, by a final judgment, of any offence involving professional conduct;

- (e) The Bidder is debarred and blacklisted due to involvement in corrupt and fraudulent practices in accordance with the provision of section 17A of PPRA Act, 2009 and Rule-21, read with Schedule appended with, Punjab Procurement Rules, 2014.
- (f) The Bidder is debarred and blacklisted in general (i.e. to the extent of all public procurement) due to consistent performance failure in accordance with the section 17A of PPRA Act, 2009 and Rule-21, read with Schedule appended with, Punjab Procurement Rules, 2014.
- (g) The firm, supplier and contractor is blacklisted/ debarred by any international organization.
- xiii) Bidders shall provide to the Procuring Agency evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.
- xiv) Bidders shall provide such evidence of their continued eligibility satisfactory to the Procuring Agency, as the Procuring Agency shall reasonably request.
- xv) Bidders shall submit proposals relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract amounting to more than ten percent of the Bid price is envisaged.

2.1.4. Eligible Goods and Services

- i) All goods and related services to be supplied under the Contract shall have their origin in eligible source countries, defined in the *Bid Data Sheet (BDS/Technical Specification)*, and all expenditures made under the contract will be limited to such goods and related services.
- ii) For purposes of this clause, “origin” means the place where the goods are mined, grown, or produced, or the place from which the related services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product is obtained that is substantially different in basic characteristics or in purpose or utility from its components.
- iii) The origin of goods and services is distinct from the nationality of the Bidder.

2.1.5. Cost of Bidding

- i) The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Procuring Agency named in the Bid Data Sheet, hereinafter referred to as “the Procuring Agency,” will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the Bidding process.

2.1.6. One person one bid

- i) As per Rule 36A of Punjab Procurement Rules 2014, a Bidder shall submit only one Bid in the same bidding process, either individually as a Bidder or as a member in a joint venture or any similar arrangement.
- ii) No Bidder can be a sub-contractor while submitting a Bid individually or as a member of a joint venture in the same Bidding process.
- iii) A Bidder, if acting in the capacity of sub-contractor in any Bid, shall not submit bid for the same.

2.2. The Bidding Documents

2.2.1. Content of Bidding Documents

- i) The goods required, Bidding procedures, and contract terms are prescribed in the Bidding documents. The Bidding documents, inter alia, include:
 - (a) Invitation to Bids
 - (b) Instructions to Bidders (ITB)
 - (c) Technical Specifications
 - (d) Bid Data Sheet
 - (e) General Conditions of Contract (GCC)
 - (f) Special Conditions of Contract (SCC)
 - (g) Schedule of Requirements
 - (h) Bid Form
 - (i) Manufacturer's Authorization Form
 - (j) Bidder Profile Form
 - (k) General Information Form
 - (l) Affidavit
 - (m) Bid Security Form
 - (n) Technical Bid Form
 - (o) Contract Form
 - (p) Financial Bid Form / Price Schedule
 - (q) Performance Guarantee Form
 - (r) Check List
- ii) The Bidder is required to examine all instructions, forms, terms, and specifications in the Bidding documents. Failure to furnish all information as required by the Bidding documents or to submit a Bid not responsive to the Bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its Bid.

- iii) In case of discrepancies between the Invitation to Bid and the Bidding Documents listed in **ITB 2.2.1 (i)** above, the said Bidding Documents, not in conflict with any provision of PPR-14, will take precedence.
- iv) The Procuring Agency is not responsible for the completeness of the Bidding Documents and their addenda, if they were not obtained directly from the Procuring Agency or from its website or website of PPRA. Re-confirming from the Procuring Agency that all pages/ contents have been properly and clearly received is the prime responsibility of the Bidder.

**2.2.2.
Clarification of
Bidding
Documents**

- i) A prospective Bidder requiring any clarification of the Bidding documents may notify the Procuring Agency in writing or by email at the Procuring Agency's address indicated in Invitation to Bid/ Tender Notice/ Advertisement. The Procuring Agency will respond in writing to any request for clarification of the Bidding documents which it receives no later than seven (7) days prior to the deadline for the submission of Bids prescribed in the Bid Data Sheet. Written copies of the Procuring Agency's response (including an explanation of the query but without identifying) will be sent to all prospective Bidders that have received the Bidding documents.
- ii) A prospective Bidder requiring any clarification of the Bidding Documents may notify the Procuring Agency in writing or in electronic form that provides record of the content of communication at the Procuring Agency's address indicated in the **BDS**.
- iii) The Procuring Agency will within three (3) working days after receiving the request for clarification, respond in writing or in electronic form to any request for clarification provided that such request is received not later than seven (7) days prior to the deadline for the submission of Bids. As prescribed in **ITB 2.2.2 (i), above**. However, this clause shall not apply in case of alternate methods of Procurement.
- iv) Copies of the Procuring Agency's response will be uploaded on the website of procuring agency on given date and forwarded to identified Prospective Bidders through an expeditious identified source of communication, e.g.: e-mail etc., including a description of the inquiry, but without identifying its source.

- v) Should the Procuring Agency deem it necessary to amend the Bidding Documents as a result of a clarification, it shall do so following the procedure under **ITB 2.2.3**.
- vi) If indicated **in the BDS**, the Bidder's designated representative is invited at the Bidder's cost to attend a pre-Bid meeting at the place, date and time mentioned **in the BDS**. During this pre-Bid meeting, prospective Bidders may request clarification of the schedule of requirement, the Evaluation Criteria or any other aspects of the Bidding Documents.
- vii) Minutes of the pre-Bid meeting, if applicable, including the text of the questions asked by Bidders, including those during the meeting (without identifying the source) and the responses given, together with any responses prepared after the meeting will be transmitted promptly to all prospective Bidders who have obtained the Bidding Documents and by uploading same on the website of the procuring agency. Any modification to the Bidding Documents that may become necessary as a result of the pre-Bid meeting shall be made by the Procuring Agency exclusively through the use of an Addendum pursuant to ITB 2.2.3. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a Bidder.

**2.2.3.
Amendment of
Bidding
Documents**

- i) At any time prior to the deadline for submission of Bids, but not later than three (3) days before the closing date of the submission of Bid, the Procuring Agency, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, may modify the Bidding documents by amendment. Any such change/amendment in the Bidding documents shall be provided in a timely manner, preferably through electronic means also, not later than three (3) days, and on equal opportunity basis as per Rule-25(3) OR Rule 25(4) of PPR-14 as the case may be.
- ii) In order to allow prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Procuring Agency, at its discretion, may extend the deadline for the submission of Bids, as per rule 29 of PPR-14, in the manner similar to the original advertisements, so as to avoid any inconvenience and to doubly ensure level playing field for all prospective bidders.

2.3. Preparation of Bids

- 2.3.1. Language of Bid**
- i) The Bid prepared by the Bidder, as well as all correspondence and documents relating to the Bid exchanged by the Bidder and the Procuring Agency shall be written in the language specified in the Bid Data Sheet. Supporting documents and printed literature furnished by the Bidder may be in same language.
- 2.3.2. Bid Form**
- i) The Bidder shall complete the Bid Form and the appropriate Price Schedule (Financial Bid) furnished in the Bidding documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.
- 2.3.3. Bid Prices**
- i) The Bidder shall indicate on form 8.10 the unit prices (where applicable) and total Bid price of the goods it proposes to supply under the contract.
 - ii) Prices indicated on the Price Schedule shall be package wise.
 - iii) The Bidder's separation of price components in accordance with ITB Clause 2.3.3(ii) above will be solely for the purpose of facilitating the comparison of Bids by the Procuring Agency and will not in any way limit the Procuring Agency's right to contract on any of the terms offered.
 - iv) Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet. A Bid submitted with an **adjustable price quotation** will be treated as non-responsive and may be rejected.
- 2.3.4. Bid Currencies**
- i) Prices shall be quoted in **Pak Rupees** for local/DDP items unless otherwise specified in the Bid Data Sheet.
- 2.3.5. Documents Establishing Bidder's Eligibility and Qualification**
- i) Pursuant to ITB Clause 2.1.3, the Bidder shall furnish, as part of its Bid, documents establishing the Bidder's eligibility to Bid and its qualifications to perform the contract if its Bid is accepted.
 - ii) The documentary evidence of the Bidder's eligibility to Bid shall establish to the Procuring Agency's satisfaction that the Bidder, at the time of submission of its Bid, is eligible as defined under ITB Clause 2.1.3.

- iii) The documentary evidence, of the Bidder's qualifications to perform the contract if its Bid is accepted, shall establish to the Procuring Agency's satisfaction:
 - (a) that, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' Manufacturer [*Manufacturer's Authorization form No. 8.3*] or producer to supply the same in Pakistan;
 - (b) that the Bidder has the financial, technical, and production capability necessary to perform the contract;
 - (c) that, in the case of a Bidder not doing business within Pakistan, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped, and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
 - (d) that the Bidder meets the qualification criteria listed in the Bid Data Sheet.

2.3.6. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents

- i) Pursuant to ITB Clause 2.1.4, the Bidder shall furnish, as part of its Bid, documents establishing the eligibility and conformity to the Bidding documents of all goods and related services which the Bidder proposes to supply under the contract.
- ii) The documentary evidence of the eligibility of the goods and services shall consist of a statement in the Price Schedule/Financial Bid Form of the country of origin of the goods and services offered which shall be confirmed by a **Certificate of Origin** issued at the time of shipment.
- iii) The documentary evidence of conformity of the goods and services to the Bidding documents may be in the form of literature, drawings, data and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristics of the goods;
 - (b) a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period to be specified in

- the Bid Data Sheet, following commencement of the use of the goods by the Procuring Agency; and
- (c) an item-by-item commentary on the Procuring Agency's Technical Specifications demonstrating **responsiveness** of the goods and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- iv) For purposes of the commentary to be furnished, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procuring Agency in its Technical Specifications, are intended to be descriptive only and not restrictive.
 - v) Where a sample(s) is required by a procuring agency, the sample shall be:
 - (a) submitted as part of the bid, in the quantities, dimensions and other details requested in the **BDS**;
 - (b) carriage paid;
 - (c) received on, or before, the closing time and date for the submission of bids; and
 - (d) Evaluated to determine compliance with all characteristics listed in the **BDS**.
 - vi) The Procuring Agency may retain the sample(s) of the successful Bidder till the successful delivery of the goods. A Procuring Agency may reject the Bid if the sample(s)-
 - (a) do(es) not conform to all characteristics prescribed in the bidding documents; and
 - (b) is/are not submitted within the specified time clearly mentioned in the Bid Data Sheet.
 - vii) Where it is not possible to avoid using a propriety article as a sample, a Bidder shall make it clear that the propriety article is displayed only as an example of the type or quality of the goods being Bided for, and that competition shall not thereby be limited to the extent of that article only.
 - viii) Samples made up from materials supplied by a Procuring Agency shall not be returned to a Bidder nor shall a Procuring Agency be liable for the cost of making them.
 - ix) All samples produced from materials belonging to an unsuccessful Bidder may be kept by the Procuring

Agency till thirty (30) days from the date of award of contract or exhaust of all the grievance forums (including those pending at Authority's Level or in some Court of Law).

- x) Pursuant to the requirements as indicated in ITB 2.3.6, the Bidder shall furnish, as part of its Bid, all those documents establishing the eligibility in conformity to the terms and conditions specified in the Bidding Documents for all goods and related services which the Bidder proposes to deliver.
- xi) The Bidder shall also furnish a list giving full particulars, including available sources and current prices of goods, spare parts, special tools, etc., necessary for the proper and continuing functioning of the Goods during the period **specified in the BDS** following commencement of the use of the goods by the Procuring Agency.
- xii) The required documents and other accompanying documents must be in English. In case any other language than English is used the pertinent translation attested by the embassy in country of manufacturer into English shall be attached to the original version.

2.3.7. Bid Security

- i) The Bidder shall furnish, as part of its Bid, a Bid security in the amount specified in the Bid Data Sheet.
- ii) The Bid security is required to protect the Procuring Agency against the risk of Bidder's conduct which would warrant the security's forfeiture Pursuant to ITB Clause 2.3.8. (vii).
- iii) The Bid security shall be in Pakistan Rupees and shall be in one of the following forms:
 - (a) Bank Guarantee, Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) or Banker's cheque valid for 28 days
 , beyond the validity of Bid.
- iv) Any Bid not secured in accordance with ITB Clauses 2.3.8 (i) and (ii) may be rejected by the Procuring Agency as non-responsive.
- v) Unsuccessful Bidders' Bid security will be discharged or returned as promptly as possible but not later than 14 days after the expiration of the period of Bid validity prescribed by the Procuring Agency pursuant to ITB Clause 2.3.8 (ii) or along with unopened financial proposal

as per rule 38(2)(a)(vii) of PPR-14, which shall take precedence, and is as under:

“38(2)(a)(vii) the financial proposal of the Bids found technically non-responsive shall be retained unopened and shall be returned on the expiry of the grievance period or the decision of the complaint, if any, filed by the non-responsive Bidder, whichever is later:

provided that the Procuring Agency may return the sealed financial proposal earlier if the disqualified or non-responsive Bidder, contractor or consultant submits an affidavit, through an authorized representative, to the effect that he is satisfied with the proceedings of the Procuring Agency”.

- vi) The successful Bidder's Bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 2.6.1, and furnishing the Performance Guarantee, pursuant to ITB Clause 2.6.2.
- vii) The Bid security may be forfeited:
 - a. If a Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Form; or
 - b. In the case of a successful Bidder, if the Bidder:
 - i. Fails to sign the contract in accordance with ITB Clause 2.6.3; **or**
 - ii. Fails to furnish Performance Guarantee in accordance with ITB Clause 2.6.2; or
 - iii. If the blacklisting proceedings under Section-17A of PPRA Act, 2009 read with Rule-21 of PPR-14 are initiated and the bidder is declared blacklisted after due process of law.

2.3.8. Period of Validity of Bids

- i) Bids shall remain valid for the period specified in the Bid Data Sheet after the date of Bid opening prescribed by the Procuring Agency. A Bid valid for a shorter period may be rejected by the Procuring Agency as non-responsive.
- ii) In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity (as per rule-28 of PPR-14). The request and the responses thereto shall be made in writing (or by email). The Bid security provided under ITB Clause 2.3.8 shall

also be suitably extended. A Bidder may refuse the request without forfeiting its Bid security. A Bidder accepting the request will not be required nor permitted to modify its Bid.

2.3.9. Format and Signing of Bid

- i) The Bidder shall prepare an original and the number of copies of the Bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID," as appropriate. In the event of any discrepancy between them, the original shall prevail.
- ii) The Bidder shall authorize a person/ persons for signing, submission and further correspondence with Procuring Agency on behalf of bidder. Authority letter must be part of bid. However, in case of any issue bidder shall be responsible for all consequences.
- iii) The original and the copy or copies of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person duly authorized to bind the Bidder to the contract. All pages of the Bid, shall be signed and stamped by the authorized person.
- iv) Any interlineation, erasures, or overwriting shall be valid only if they are initialed by the authorized person for signing the Bid.
- v) The original and the copy or copies of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the **BDS** and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Bid, shall be signed and stamped by the authorized person.
- vi) Any interlineations, erasures, or overwriting shall be valid only if they are signed by the person or persons signing the Bidder.
- vii) The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid and to contract execution if the Bidder is awarded the contract.

2.4. Submission of Bids

2.4.1 Sealing and Marking of Bids

- i) As per Rule 24, the Bidder shall seal the original and each copy of the Bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- ii) The inner and outer envelopes shall:
 - a. be addressed to the Procuring Agency at the address given in the Bid Data Sheet; and
 - b. bear the title of procurement Activity indicated in the Bid Data Sheet, the Invitation to Bids (ITB) title and number indicated in the Bid Data Sheet, and a statement: "DO NOT OPEN BEFORE THE DATE AND TIME MENTIONED IN BDS"
- iii) The inner envelopes shall also indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared "late".
- iv) If the outer envelope is not sealed and marked as required by ITB Clause 2.4.1 (i), the Procuring Agency will assume no responsibility for the Bid's misplacement or premature opening.
- v) In case of Single Stage One Envelope Procedure, the Bidder shall seal the original and each copy of the Bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope securely sealed in such a manner that opening and resealing cannot be achieved undetected.

Note: The envelopes shall be sealed and marked in accordance with the bidding procedure adopted as referred in Rule-38 of PPR-2014, which shall have precedence.
- vi) The inner and outer envelopes shall:
 - a) Be addressed to the Procuring Agency at the address given in the **BDS**; and
 - b) Bear the title of the subject procurement or Project name, as the case may be as indicated in the **BDS**, the Invitation to Bids (ITB) title and number indicated in the **BDS**, and a statement: "DO NOT OPEN BEFORE," to be completed with the time and the date specified in the **BDS**, pursuant to **ITB 2.4.2**.
- vii) In case of Single Stage Two Envelope Procedure, The Bid shall comprise two envelopes submitted simultaneously,

one called the Technical Proposal and the other Financial Proposal. Both envelopes to be enclosed together in an outer single envelope called the Bid. Each Bidder shall submit his bid as under:

- a) Bidder shall submit his TECHNICAL PROPOSAL and FINANCIAL PROPOSAL in separate inner envelopes and enclosed in a single outer envelope.
 - b) ORIGINAL and each copy of the Bid shall be separately sealed and put in separate envelopes and marked as such.
 - (c) The envelopes containing the ORIGINAL and copies will be put in one sealed envelope and addressed / identified as given in BDS.
- viii) The inner and outer envelopes shall:
- a) be addressed to the Procuring Agency at the address provided in the BDS;
 - b) bear the name and identification number of the contract as defined in the BDS; and provide a warning not to open before the time and date for bid opening, as specified in the BDS, pursuant to ITB 2.4.2;
 - c) In addition to the identification required in Sub- Clause (b) hereof, the inner envelope shall indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared “late” pursuant to ITB.2.4.3.
- ix) If all envelopes are not sealed and marked as required by **ITB 2.4.1** or incorrectly marked, the Procuring Agency will assume no responsibility for the misplacement or premature opening of Bid.
- 2.4.2 Deadline for Submission of Bids**
- i) Bids must be received by the Procuring Agency at the address specified under BDS no later than the time and date specified in the Bid Data Sheet. Bids received through courier services shall not be entertained.
 - ii) The Procuring Agency may, at its discretion and as per rule 29 of PPR-14, extend this deadline for the submission of Bids by amending the Bidding documents in accordance with ITB Clause 2.2.2 & 2.2.3 in which case all rights and obligations of the Procuring Agency and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

- iii) Bids shall be received by the Procuring Agency at the address specified under **BDS** no later than the date and time specified in the **BDS**.
- 2.4.3. Late Bids**
 - i) Any Bid received by the Procuring Agency after the deadline for submission of Bids prescribed by the Procuring Agency pursuant to ITB Clause 2.4.2 will be rejected and returned unopened to the Bidder.
 - ii) The Procuring Agency shall not consider for evaluation any Bid that arrives after the deadline for submission of Bids.
 - iii) Any Bid received by the Procuring Agency after the deadline for submission of Bids shall be declared late, recorded, rejected and returned unopened to the Bidder.
- 2.4.4. Modification and Withdrawal of Bids**
 - i) The Bidder may modify or withdraw its Bid after the Bid's submission, provided that written notice of the modification, including substitution or withdrawal of the Bids, is received by the Procuring Agency prior to the deadline prescribed for submission of Bids.
 - ii) The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of Clause (i) A withdrawal notice may also be sent by email, but followed by a signed confirmation copy, postmarked not later than the deadline for submission of Bids.
 - iii) No Bid may be modified after the deadline for submission of Bids.
 - iv) No Bid may be withdrawn in the interval between the deadline for submission of Bids and the expiration of the period of Bid validity specified by the Bidder on the Bid Form. Withdrawal of a Bid during this interval may result in the Bidder's forfeiture of its Bid security (along with other remedies available under PPR-14), pursuant to the ITB Clause 2.3.8 (vii).
 - v) A Bidder may withdraw its Bid after it has been submitted, provided that written notice of the withdrawal of the Bid, is received by the Procuring Agency prior to the deadline for submission of Bids.
 - vi) Revised bid may be submitted after the withdrawal of the original bid before the deadline for submission of Bids.

2.5. Opening and Evaluation of Bids

2.5.1. Opening of Bids by the Procuring Agency

- i) The Procuring Agency will open all Bids, in public, in the presence of Bidders' or their representatives who choose to attend, and other parties with a legitimate interest in the Bid proceedings at the place, on the date and at the time, specified in the **BDS**. The Bidders' representatives present shall sign a register/attendance sheet as proof of their attendance.
- ii) First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding Withdrawal Notice contains a valid authorization to request the withdrawal and is read out at bid opening-
- iii) Second, outer envelopes marked "SUBSTITUTION" shall be opened. The inner envelopes containing the Substitution Bid shall be exchanged for the corresponding Original Bid being substituted, which is to be returned to the Bidder unopened. No envelope shall be substituted unless the corresponding Substitution Notice contains a valid authorization to request the substitution and is read out and recorded at bid opening.
- iv) Next, outer envelopes marked "MODIFICATION" shall be opened. No Technical Proposal and/or Financial Proposal shall be modified unless the corresponding Modification Notice contains a valid authorization to request the modification and is read out and recorded at the opening of the Bids. Any Modification shall be read out along with the Original Bid except in case of Single Stage Two Envelope Procedure where only the Technical Proposal, both Original as well as Modification, are to be opened, read out, and recorded at the opening. Financial Proposal, both Original and Modification, will remain unopened till the prescribed financial bid opening date.
- v) Other envelopes holding the Bids shall be opened one at a time, in case of Single Stage One Envelope Procedure, the Bidders names, the Bid prices, the total amount of each Bid, the presence or absence of Bid Security, Bid Securing Declaration and such other details as the Procuring Agency may consider appropriate, will be announced by the Procurement Evaluation Committee.

- vi) In case of Single Stage Two Envelope Procedure, the Procuring Agency will open the Technical Proposals in public at the address, date and time specified in the **BDS** in the presence of Bidders' designated representatives who choose to attend and other parties with a legitimate interest in the Bid proceedings. The Financial Proposals will remain unopened and will be held in custody of the Procuring Agency until the specified time of their opening.
- vii) The envelopes holding the Technical Proposals shall be opened one at a time, and the following read out and recorded: (a) the name of the Bidder; (b) the presence of a Bid Security, if required; and (c) Any other details as the Procuring Agency may consider appropriate.
- viii) Bidders are advised to send in a representative with the knowledge of the content of the Bid who shall verify the information read out from the submitted documents. Failure to send a representative or to point out any un-read information by the sent Bidder's representative shall indemnify the Procuring Agency against any claim or failure to read out the correct information contained in the Bidder's Bid.
- ix) No Bid will be rejected at the time of Bid opening except for late Bids which will be returned unopened to the Bidder, pursuant to **2.4.3 (i)**.
- x) The Procuring Agency shall prepare minutes of the Bid opening. The record of the Bid opening shall include, as a minimum: the name of the Bidder and whether or not there is a withdrawal, substitution or modification, the Bid price if applicable.
- xi) The Bidders' representatives who are present shall be requested to sign on the attendance sheet. The omission of a Bidder's signature on the record shall not invalidate the contents and affect the record.
- xii) Minutes of the Financial Bid Opening shall be recorded and uploaded by the procuring agency on its website or shared to all bidders through e-mail.

**2.5.2.
Confidentiality**

- i) Information relating to the examination, clarification, evaluation and comparison of Bids and recommendation of contract award shall not be disclosed to Bidders or any other persons not officially concerned with such process until the time of the announcement of the respective

evaluation report in accordance with the requirements of rule 37 of PPR-14.

- ii) Any effort by a Bidder to influence the Procuring Agency processing of Bids or award decisions may result in the rejection of its Bid.
- iii) Notwithstanding **ITB Clause 2.2.2** from the time of Bid opening to the time of contract award, if any Bidder wishes to contact the Procuring Agency on any matter related to the Bidding process, it should do so in writing or in electronic forms that provides record of the content of communication.

2.5.3. Clarification of Bids

- i) As per rule 33(2) of PPR-14, to assist in the examination, evaluation and comparison of Bids and post-qualification of the Bidders, the Procuring Agency may, at its discretion, ask any Bidder for a clarification of its Bid including breakdown of prices to determine its reasonability. Any clarification submitted by a Bidder that is not in response to a request by the Procuring Agency shall not be considered.
- ii) The request for clarification and the response shall be in writing or in electronic forms that provide record of the content of communication. In case of Single Stage Two Envelope Procedure, no change in the prices or substance of the Bid shall be sought, offered, or permitted. Whereas in case of Single Stage One Envelope Procedure, only the correction of arithmetic errors discovered by the Procuring Agency in the evaluation of Bids should be sought in accordance with ITB Clause 2.5.6.
- iii) The alteration or modification in The Bid which in any way affect the following parameters will be considered as a change in the substance of a bid:
 - a) Evaluation & qualification criteria;
 - b) Required scope of work or specifications;
 - c) All securities requirements;
 - d) Tax requirements;
 - e) Terms and conditions of bidding documents.
 - f) Change in the ranking of the Bidder
- iv) From the time of Bid opening to the time of Contract award if any Bidder wishes to contact the Procuring Agency on any matter related to the Bid it should do so in writing or

in electronic forms that provide record of the content of communication.

2.5.4. Preliminary Examination

- i) The Procuring Agency will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order.
- ii) Arithmetical errors will be rectified on the following basis:-
 - a. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its Bid may be rejected, and its Bid security may be forfeited.
 - b. If there is a discrepancy between words and figures, the amount in words will prevail.
- iii) Prior to the detailed evaluation, the Procuring Agency will determine the responsiveness of each Bid to the Bidding documents, pursuant to ITB Clause 2.5.5. For purposes of these Clauses, a responsive Bid is one which conforms to all the terms and conditions of the Bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, **such as** those concerning **Bid Security** (ITB Clause 2.3.8), **Applicable Law** (GCC Clause 30), **Taxes and Duties** (GCC Clause 32) & mandatory Registrations/ Renewals will be deemed to be a material deviation. The Procuring Agency's determination of a Bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- iv) If a Bid is not responsive, it will be rejected by the Procuring Agency and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- v) Prior to the detailed evaluation of Bids, the Procuring Agency will determine whether each Bid:
 - a) Meets the eligibility criteria defined in **ITB 2.1.3** and **ITB 2.1.4**;

- b) Has been prepared as per the format and contents defined by the Procuring Agency in the Bidding Documents;
- c) Has been properly signed;
- d) Is accompanied by the required securities; and
- e) Is responsive to the requirements of the Bidding Documents.

The Procuring Agency's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

2.5.5. Examination of Terms and Conditions; Technical Evaluation

- i) The Procuring Agency shall examine the Bid to confirm that all terms and conditions specified in the **GCC** and the **SCC** have been accepted by the Bidder without any material deviation or reservation.
- ii) The Procuring Agency shall evaluate the technical aspects of the Bid submitted to confirm that all requirements specified in **Section III-Technical Specifications, Section VII – Schedule of Requirements & Evaluation Criteria as provided in BDS**, have been met without material deviation or reservation.
- iii) If after the examination of the terms and conditions and the technical evaluation, the Procuring Agency determines that the Bid is not responsive in accordance, it shall reject the Bid.

2.5.6. Correction of Errors

- i) Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows: -
 - a) If there is a discrepancy between unit prices and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected, unless in the opinion of the Procuring Agency there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;
 - b) If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and
 - c) Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.
 - d) Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of

Bid, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.

- ii) The amount stated in the Bid will, be adjusted by the Procuring Agency in accordance with the above procedure for the correction of errors. The concurrence of the Bidder shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, its Bid will then be rejected, and the Bid Security may be forfeited or the Bid Securing Declaration may be executed in accordance with **ITB 2.3.8**.

**2.5.7.
Conversion to
Single Currency**

- i) As per rule 32(2) of PPR-14, to facilitate evaluation and comparison, the Procuring Agency will convert all Bid prices expressed in the amounts in various currencies in which the Bid prices as follows:

For the purposes of comparison of bids quoted in different currencies, the price shall be converted into a single currency specified in the bidding documents. The rate of exchange shall be the selling rate, prevailing on the date of opening of bids specified in the bidding documents, as notified by the State Bank of Pakistan on that day, in case of holiday in State Bank of Pakistan on the day of opening financial bids, then previous working day's ex-change rates will prevail.

**2.5.8. Post-
Qualification &
Evaluation of
Bids**

- i) In the absence of **prequalification**, the Procuring Agency will determine to its satisfaction whether the Bidder is qualified to perform the contract satisfactorily, in accordance with the evaluation criteria listed in BDS & pursuant to ITB Clause 2.1.3.
- ii) The determination will take into account the Bidder's financial, technical, and production/ supplying capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 2.3.6, as well as such other information required for eligibility/qualification expressed in Bid Data Sheet as the Procuring Agency deems necessary and appropriate.
- iii) The Procuring Agency will **technically evaluate** and compare the Bids which have been determined to be responsive, pursuant to ITB Clause 2.5.5, as per Technical Specifications required.
- iv) The **financial evaluation** of a Bid will be on the basis of form of Price Schedules/ Financial Bid Form 8.10 to be

decided by the Procuring Agency which must include clear cut instruction regarding item wise or package wise evaluation inclusive of prevailing taxes, duties, fees etc.

2.5.9. Contacting the Procuring Agency

- i) Subject to ITB Clause 2.5.3, no Bidder shall contact the Procuring Agency on any matter relating to its Bid, from the time of the Bid opening to the time the evaluation report is made public i.e. 10 days before the contract is awarded. If the Bidder wishes to bring additional information or has grievance to the notice of the Procuring Agency, it should do so in writing.
- ii) Any effort by a Bidder to influence the Procuring Agency during Bid evaluation, or Bid comparison may result in the rejection of the Bidder's Bid.

2.5.10. Grievance Redressal

- i) As per Rule-67 of PPR-14, Procuring Agency shall constitute a Grievance Redressed Committee (GRC) comprising of odd number of persons with proper powers and authorization to address the complaints. The GRC shall not have any of the members of the Procurement Evaluation Committee. The Committee may preferably have one subject specialist depending upon the nature of the procurement in addition to one person with legal background as per their availability to the Procuring Agency.
- ii) Any Bidder feeling aggrieved can file its written complaint against the eligibility parameters or any other terms and conditions prescribed in the Bidding documents found contrary to provision of Rule 33, and the same shall be addressed by the Procuring Agency well before the proposal submission deadline.
- iii) Any party can file its written complaint against the eligibility parameters or any other terms and conditions prescribed in the bidding documents found contrary to provision of Rule 34 and the same shall be addressed by the Procuring Agency well before the proposal submission deadline.
- iv) Any Bidder feeling aggrieved by any act of the Procuring Agency after the submission of his Bid may lodge a written complaint concerning his grievances not later than ten days after the announcement of the Final evaluation reports. In case of single stage - two envelope bidding procedure any bidder feeling aggrieved from technical evaluation may file a grievance within 5 days of

announcement of the technical evaluation report. After completion of the technical evaluation process, the procuring agency shall immediately upload the technical evaluation report on the website of PPRA and Procuring Agency for obtaining/ receiving grievance petitions from the prospective bidders (if any).

- v) In case, the complaint/grievance is filed after the issuance of the final evaluation report, the complainant cannot raise any objection on technical evaluation of the report. Provided that the complainant may raise the objection on any part of the final evaluation report in case where single stage one envelop bidding procedure is adopted.
- vi) The GRC shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

2.6. Award of Contract

2.6.1. Notification of Award

- i) Prior to the expiration of the period of Bid validity, the Procuring Agency will notify the successful Bidder in writing by registered letter and by email to be confirmed in writing by registered letter, that its Bid has been accepted.
- ii) The notification of award will constitute the formation of the Contract.
- iii) Upon the successful Bidder's furnishing of the Performance Guarantee pursuant to ITB Clause 2.6.2 (i), the Procuring Agency will promptly notify each unsuccessful Bidder and will discharge its Bid security, pursuant to ITB Clause 2.3.8 (v).

2.6.2. Performance Guarantee

- i) Within seven (7) days of the receipt of notification of award from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in accordance with the Conditions of Contract, in the Performance Guarantee Form provided in the Bidding documents, or in another form acceptable to the Procuring Agency.
- i) Failure of the successful Bidder to comply with the requirement of ITB Clause (i) above or ITB Clause 2.6.3 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid security along with other remedies

available under PPR-14. After that, the Procuring Agency may decide to award the contract to the next lowest evaluated Bidder, keeping in view the Bid validity time, or call for new Bids keeping in view the concept of value for money as defined under rule-2(ae) read with Principles of Procurement as enunciated in rule-4 of PPR-14.

**2.6.3. Signing of Contract/
Issuance of
Purchase Order**

- i) At the same time as the Procuring Agency notifies the successful Bidder that its Bid has been accepted, the Procuring Agency will send the Bidder the Contract Form provided in the Bidding documents, incorporating all agreements between the parties or will issue the purchase order *[as the case may be]*.
- ii) Under rule-63 of PPR-14, where the Procuring Agency requires formal signing of contract, within seven (07) days of receipt of the Contract Form, the successful Bidder shall sign and mention date of the contract and return it to the Procuring Agency.
- iii) Where no such formal signing is required by the procuring agency, the procuring agency shall issue purchase order after the receipt of required performance guarantee, as per rule 55 of PPR-14.

**2.6.4. Award
Criteria**

- i) Subject to ITB Clause 2.6.2, under rule-55 of PPR-14, the Procuring Agency will award the contract to the successful Bidder whose Bid has been determined to be responsive and has been determined to be the lowest evaluated Bid, provided that the Bidder has been determined to be qualified to perform the contract satisfactorily.

**2.6.5. Procuring
Agency's Right
to Vary
Quantities at
Time of Award**

- i) The Procuring Agency reserves the right at the time of contract award to increase or decrease the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions, on the analogy of rule-59 (c)(iv) of PPR-14 (not more than 15%).

**2.6.6. Procuring
Agency's Right
to Accept or
Reject All Bids**

- i) As per rule 35 of PPR-14, the Procuring Agency reserves the right to accept or reject all Bids or proposals (and to annul the Bidding process) at any time prior to the acceptance of any Bid or proposal, without thereby incurring any liability towards the Bidders.
- ii) The Bidders shall be promptly informed about the rejection of the Bids, if any

2.6.7. Re-Bidding

- iii) The Procuring Agency shall upon request communicate to any Bidder, the grounds for its rejection of all Bids or proposals, but shall not be required to justify those grounds.
- i) If the Procuring Agency rejects all the Bids under rule 35, it may proceed with the process of fresh Bidding but before doing that it shall assess the reasons for rejection and may, if necessary, revise specifications, evaluation criteria or any other condition for Bidders.

2.6.8. Corrupt or Fraudulent Practices

- i) The Procuring Agency Bidders, Suppliers, and Contractors observe the highest standard of ethics during the procurement and execution of contracts.

“Corrupt practices” in respect of procurement process, shall be as given in S-2 (d) of PPRA, Act, 2009, which is as follows:

“(d) “corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official, bidder or Contractor in the procurement process or in Contract execution to the detriment of the procuring agency; or misrepresentation of facts in order to influence a procurement process or the execution of a Contract, collusive practices among bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the procuring agency of the benefits of free and open competition and any request for, or solicitation of anything of value by any public official in the course of the exercise of his duty; it may include any of the following:

- i. Coercive practice by impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;*
- ii. Collusive practice by arrangement between two or more parties to the procurement process or Contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;*
- iii. Offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;*
- iv. Any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;*
- v. Obstructive practice by harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a Contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or*

intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit process.”

ii) Blacklisting & Debarment:

Blacklisted Consultants and those found involved in “Corrupt Practices” are not allowed to participate in bidding.

Requirements & Procedure for Blacklisting & Debarment:

As per S-17A of PPRA, Act, 2009:

“17A. Blacklisting.— (1) A procuring agency may, for a specified period and in the prescribed manner, debar a bidder or Contractor from participating in any public procurement process of the procuring agency, if the bidder or Contractor indulges in corrupt practice or any other prescribed practice.

(2) The Managing Director may, in the prescribed manner, debar a bidder or Contractor from participating in any public procurement process of all or some of the procuring agencies for a specified period.

(3) Any person, aggrieved from a decision of a procuring agency, may within prescribed period prefer a representation before the Managing Director.

(4) A procuring agency or any other person, aggrieved from a decision of the Managing Director, may within prescribed period prefer a representation before the Chairperson whose decision on such representation shall be final.]

As per rule 21 of PPR-14:

21. Blacklisting.—(1) A procuring agency may, for a specified period, debar a bidder or Contractor from participating in any public procurement process of the procuring agency, if the bidder or Contractor has:

- (a) acted in a manner detrimental to the public interest or good practices;
- (b) consistently failed to perform his obligation under the Contract;
- (c) not performed the Contract up to the mark; or
- (d) indulged in any corrupt practice.

(2) If a procuring agency debar a bidder or Contractor under sub-rule (1), the procuring agency:

(a) shall forward the decision to the Authority for publication on the website of the Authority; and

(b) may request the Authority to debar the bidder or Contractor for procurement of all procuring agencies.

(3) The Managing Director may debar a bidder or Contractor of any procuring agency from participating in any public procurement process of all or some of the procuring agencies for such period as the Managing Director may determine.

(4) Any person aggrieved by a declaration made under rule 20 or a decision under sub-rule (1) of this rule may, within thirty days from the date of the publication of the information on the website of the Authority, file a representation before the Managing Director and the Managing Director may pass such order on the representation as he may deem fit.

(5) Any person or procuring agency aggrieved by an order under sub-rule (3) or (4) may, within thirty days of the order, file a representation before the Chairperson and the Chairperson may pass such order on the representation as he may deem appropriate.

(6) The mechanism or process for barring a bidder or Contractor from participating in procurement process of a procuring agency, procuring agencies and a representation under this rule is specified in the Schedule appended to these rules.

As per Schedule appended with PPR-14:

SCHEDULE

see sub-rule (6) of rule 21

BLACKLISTING MECHANISM OR PROCESS

1. *The procuring agency may, on information received from any resource, issue show cause notice to a bidder or Contractor.*

2. *The show cause notice shall contain:*

(a) precise allegation, against the bidder or Contractor;

(b) the maximum period for which the procuring agency proposes to debar the bidder or Contractor from participating in any public procurement of the procuring agency; and

- (c) *the statement, if needed, about the intention of the procuring agency to make a request to the Authority for debarring the bidder or Contractor from participating in public procurements of all the procuring agencies.*
3. *The procuring agency shall give minimum of seven days to the bidder or Contractor for submission of written reply of the show cause notice.*
 4. *In case, the bidder or Contractor fails to submit written reply within the requisite time, the procuring agency may issue notice for personal hearing to the bidder or Contractor/ authorize representative of the bidder or Contractor and the procuring agency shall decide the matter on the basis of available record and personal hearing, if availed.*
 5. *In case the bidder or Contractor submits written reply of the show cause notice, the procuring agency may decide to file the matter or direct issuance of a notice to the bidder or Contractor for personal hearing.*
 6. *The procuring agency shall give minimum of seven days to the bidder or Contractor for appearance before the specified officer of the procuring agency for personal hearing.*
 7. *The procuring agency shall decide the matter on the basis of the available record and personal hearing of the bidder or Contractor, if availed.*
 8. *The procuring agency shall decide the matter within fifteen days from the date of personal hearing unless the personal hearing is adjourned to a next date and in such an eventuality, the period of personal hearing shall be reckoned from the last date of personal hearing.*
 9. *The procuring agency shall communicate to the bidder or Contractor the order of debarring the bidder or Contractor from participating in any public procurement with a statement that the bidder or Contractor may, within thirty days, prefer a representation against the order before the Managing Director of the Authority.*
 10. *The procuring agency shall, as soon as possible, communicate the order of blacklisting to the Authority with the request to upload the information on its website.*
 11. *If the procuring agency wants the Authority to debar the bidder or Contractor from participating in any public procurement of all procuring agencies, the procuring agency shall specify reasons for such dispensation.*

12. *The Authority shall immediately publish the information and decision of blacklisting on its website.*
13. *In case of request of a procuring agency under para 11 or representation of any aggrieved person under rule 21, the Managing Director shall issue a notice for personal hearing to the parties and call for record of proceedings of blacklisting. The parties may file written statements and documents in support of their contentions.*
14. *In case of representation of any aggrieved person or procuring agency under rule 21, the Chairperson shall issue a notice for personal hearing to the parties and may call for the record of the proceedings. The parties may file written statements and documents in support of their contentions.*
15. *In every order of blacklisting under rule 21, the procuring agency shall record reasons of blacklisting and also reasons for short, long or medium period of blacklisting.*
16. *The Authority shall upload all the decisions under rule 21, available with it, on its website. But the name of a bidder or Contractor shall immediately be removed from the list of blacklisted persons on expiry of period of blacklisting or order of the competent authority to that effect, whichever is earlier.*
17. *An effort shall be made for electronic communication of all the notices and other documents pursuant to this mechanism or process.”*

iii) Furthermore, Bidders must keep themselves aware of the provision stated in clause 5.4 and clause 24.1 of the General Conditions of Contract.

2.6.9. Quantity and volume of the goods to be considered in mind

[Framework Contract Modality]

- i) While quoting the rate in a framework contract, the Bidder must consider the following facts:
 - a. Certain volume and quantity of the goods as prescribed in Bid Data Sheet.
 - b. The Bidder have to maintain the rates of the goods for the whole financial year.
 - c. The Bidder should quote the rate as per Price Schedule/ Financial Bid form. In case of non-observance of prescribed format, Financial Bid may be rejected.

Section-III. Technical Specifications

3.1. Technical Specifications

SAHIWAL (LOT-1)

Sr. No.	Description	Unit	Qty
1	Conveyor Belt 3 ply double sided with hot valcunizing joint W=19", Roller L=20"	ft	620
2	Conveyor Belt 3 ply double sided with hot valcunizing joint W=22", Roller L=23"	ft	750
3	Conveyor Belt 3 ply double sided with hot valcunizing joint W=23", Roller L=24"	ft	565
4	Conveyor Belt 3 ply double sided with hot valcunizing joint W=25", Roller L=26"	ft	200
5	Conveyor Belt 3 ply double sided with hot valcunizing joint W=29", Roller L=30"	ft	300
6	Elevator Belt 4 ply W=6",	ft	2200
7	Elevator Belt , 9" 3ply	ft	65
8	Elevator Belt , 7.5" 3ply	ft	270
9	Elevator Belt , 6" 2ply	ft	400
10	Bucket 8.5" (Plastic)	No	200
11	Bucket 7" (Plastic)	No	200
12	Bucket 5.5" (Plastic)	No	700
13	Motor Winding 99.9% copper Wire. 22 No (50kg), 25 No (10kg), 18 No (20kg), 27 No (10kg)	kg	90
14	V Belt different size(A,B,C,D,E and Z)	No	100
15	Belt Pulleys of superior quality different sizes	kg	30
16	Shaft Bearing 6019 (SKF or equivalent)	No	3
17	Ball Bearing 6202 ZZ (SKF or equivalent)	No	10
18	Ball Bearing 6204 ZZ (SKF or equivalent)	No	10
19	Ball Bearing 6205 ZZ (SKF or equivalent)	No	12
20	Ball Bearing 6206 ZZ (SKF or equivalent)	No	16

21	Ball Bearing 6207 ZZ (SKF or equivalent)	No	6
22	Ball Bearing 6208 ZZ (SKF or equivalent)	No	6
23	Ball Bearing 6210 ZZ (SKF or equivalent)	No	4
24	Ball Bearing 6213 ZZ (SKF or equivalent)	No	2
25	Ball Bearing 6308 ZZ (SKF or equivalent)	No	2
26	Ball Bearing 6306 ZZ (SKF or equivalent)	No	2
27	Ball Bearing 6307 ZZ (SKF or equivalent)	No	2
28	Ball Bearing 6308 ZZ (SKF or equivalent)	No	4
29	Ball Bearing 6309 ZZ (SKF or equivalent)	No	4
30	Ball Bearing 6310 ZZ (SKF or equivalent)	No	2
31	Ball Bearing 6313 ZZ (SKF or equivalent)	No	2
32	Ball Bearing 6217 ZZ (SKF or equivalent)	No	2
33	Ball Bearing 6314 ZZ (SKF or equivalent)	No	2
34	Ball Bearing UC 205 (SKF or equivalent)	No	6
35	Ball Bearing UC 212 (SKF or equivalent)	No	6
36	Motor Back Covers Upto 75Kw	No	30
37	Motor Fans Upto 75 Kw	No	30
38	Push Buttons Motor ON	No	100
39	Push Buttons Motor OFF	No	100
40	Contactora (110 Ampere) for 100HP/75kw Motors (Schneider or Equivalent)	No	3
41	Contactora (82 Ampere) for 75HP/56kw Motors (Schneider or Equivalent)	No	3
42	Contactora (44 Ampere) for 40HP/30kw Motors (Schneider or Equivalent)	No	3
43	Contactora (32 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	6
44	Contactora (16 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	15
45	Contactora (11 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10

46	Contactor(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
47	Contactor(5.5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
48	Contactor(3.5 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	10
49	Contactor(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15
50	Contactor(0.53 Ampere) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	10
51	Overload (90-115A) for 100HP/75kw Motors (Schneider or Equivalent)	No	1
52	Overload (70-90A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1
53	Overload (35-45A) for 40HP/30kw Motors (Schneider or Equivalent)	No	1
54	Overload (30-38A) for 30HP/22kw Motors (Schneider or Equivalent)	No	2
55	Overload(14-16A) for 15HP/11kw Motors (Schneider or Equivalent)	No	5
56	Overload (9-12A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
57	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
58	Overload(4.5-5.5A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	3
59	Overload(2.5-4A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	7
60	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	11
61	Overload(0.4-0.63A) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	7
62	Circuit Breaker (250A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1
63	Circuit Breaker (150A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1
64	Circuit Breaker (100A) for 40HP/30kw Motors (Schneider or Equivalent)	No	1
65	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	3
66	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1
67	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	8
68	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10

69	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
70	Circuit Breaker (10A) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	15
71	Circuit Breaker (6A) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	7
72	Circuit Breaker (6A) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	7
73	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10
74	Control Cable 14AWG	Coils	4
75	Control Cable 7/29	Coils	4
76	Control Cable 3/29	Coils	4
77	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1
78	GI Flow Pipe 5" dia for Pre-Section	ft	675
79	GI Flow Pipe 18" dia for Pre-Section	ft	600
80	GI Flow Pipe 5" dia Bends & Elbow different dia (15°,25°,35°,45°)	No	70
81	GI Flow Pipe 18" dia Bends & Elbow different dia (15°,25°,35°,45°)	No	70
82	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	3000
83	Power Cable 7/29	m	200
84	Power Cable 3/29	m	200
85	Stacker conveyer complete in all respects including structure	ft	25

86	Optical Sensor including installation from panel to device (To measure the availability of material on conveyers)	No	5
87	Level Sensor including installation from panel to device (To measure the level of dry seeds in chambers)	No	5
88	Relay (24 VDC, 0.5-2A)	No	7
89	Magnetic Contactor (3P, 5-32A)	No	7
90	Over Current Relay (5-100A)	No	13
91	Circuit Breaker (3P, 5-32A)	No	7
92	Power Supply (24VDC 10A)	No	1
93	HMI 10" display (PN/IE supported color display)	No	1
94	Power Supply for control system (24VDC 10A)	No	1
95	Supply of MS mesh (screen) 20 gauge Size 55" X 8' 2.25mm+2.335mm+2.40mm	Set	32
Services			
96	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1
97	Complete Overhauling of Aspiration System by replacing belts, bearings, wires & new fans if required and bringing complete aspiration system to proper working condition	Services	1
98	Overhauling of 8 Elevators and allied parts including replacement of cover, hopper, wheel worm, shaft, processing V, with bearing and repairing cleaner with elevator, jock, bush, bearing shaft & different size hopper & pipes replace and complete overhauling	Services	1
99	Installation and commissioning of Complete Automation System (PLC modules to take feed back and control of all process. Supports PN/IE protocol, optical sensors, humidity sensors, temp sensors. I/O count : DI:50, DO 60, temp 56, humidity 56, display and power supplies including calibration, Programming and Process visualization	Services	1

	(Data logging, report generation, alarm logging, alarm alerts, interlocking, process automation, process simulation))		
100	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1

KHANEWAL (LOT-2)

Sr. No.	Description	Unit	Qty
1	Conveyer Belt W=16" 2 Ply	ft	900
2	Conveyer Belt Rollers, 7" × 2"	No	900
3	Conveyer Belt Rollers, 15.5" × 2"	No	225
4	Conveyer Belt Rollers, 17.5" × 2"	No	360
5	Roller Holding Strips	No	1,350
6	Shaft 50mm × 66"	No	5
7	Oil Seal 85 × 110 × 12	No	21
8	Oil Seal 90 × 110 × 12	No	21
9	Motor Winding 99.9% copper Wire. 22 No (50kg), 25 No (10kg), 18 No (20kg), 27 No (10kg)	kg	90
10	Square flow Pipe line 6" × 6" (14 Gauge) for aspiration system	ft	675
11	Square flow Pipe line 8" × 8" (14 Gauge) for aspiration system	ft	45
12	Bend Shutter Elbow 6" × 6" (14 Gauge) for aspiration system	No	65
13	Bend Shutter Elbow 8" × 8", (14 Gauge) for aspiration system	No	4
14	Wood Partal or equivalent for decks cut to required sizes	Cft	36
15	Elevator Belt , 9" 3ply	ft	65
16	Elevator Belt , 7.5" 3ply	ft	270
17	Elevator Belt , 6" 2ply	ft	400
18	Bucket 8.5" (Plastic)	No	200
19	Bucket 7" (Plastic)	No	200
20	Bucket 5.5" (Plastic)	No	400
21	V Belt different size (A,B,C,D,E and Z)	No	100

22	Belt Pulleys of superior quality different sizes	kg	35
23	Ball Bearing 6202 ZZ (SKF or equivalent)	No	20
24	Ball Bearing 6203 ZZ (SKF or equivalent)	No	20
25	Ball Bearing 6204 ZZ (SKF or equivalent)	No	20
26	Ball Bearing 6205 ZZ (SKF or equivalent)	No	20
27	Ball Bearing 6206 ZZ (SKF or equivalent)	No	10
28	Ball Bearing 6208 ZZ (SKF or equivalent)	No	10
29	Ball Bearing 6209 K with bush H209 (40) (SKF or equivalent)	No	16
30	Ball Bearing 6210 ZZ (SKF or equivalent)	No	4
31	Ball Bearing 6305 ZZ (SKF or equivalent)	No	6
32	Ball Bearing 6306 ZZ (SKF or equivalent)	No	20
33	Ball Bearing 6307 ZZ (SKF or equivalent)	No	4
34	Ball Bearing 6308 ZZ (SKF or equivalent)	No	4
35	Ball Bearing 6309 ZZ (SKF or equivalent)	No	2
36	Ball Bearing 6310 ZZ (SKF or equivalent)	No	2
37	Ball Bearing 6311 ZZ (SKF or equivalent)	No	2
38	Ball Bearing 6313 ZZ (SKF or equivalent)	No	2
39	Ball Bearing 6209 K (SKF or equivalent)	No	4
40	Ball Bearing UEL 207 K (SKF or equivalent)	No	4
41	Ball Bearing UEL 210 (50mm) and Body F 210 (SKF or equivalent)	No	20
42	Ball Bearing UEL 208 and Body F 208 (SKF or equivalent)	No	2
43	Ball Bearing UEL 206 (30mm) and Body F 206 (SKF or equivalent)	No	12
44	Ball Bearing UEL 207 with Body F207 (40) P207(26) (SKF or equivalent)	No	24
45	Ball Bearing UEL 1218 K with cam bush (40) and cam body (40)(SKF or equivalent)	No	12

46	Ball Bearing UEL 1211K with cam bush (30) and cam body (30)(SKF or equivalent)	No	10
47	Ball Bearing 16015 (SKF or equivalent)	No	16
48	UC 212 Bearing and Body F212 (SKF or equivalent)	No	4
49	UC 208 Bearing and Body T208 (SKF or Equivalent)	No	6
50	Motor Back Covers upto 22 KW	No	30
51	Motor Fans upto 22KW	No	30
52	Push Buttons Motor ON (16mm)	No	40
53	Push Buttons Motor OFF (16mm)	No	40
54	2 HP New Motor with gear box of RPM 25	No	1
55	New Indent Cylinder variable gear box with new motors of 2HP (20-32 RPM)	No	3
56	New blower variable gear box with new motors of 7.5 HP (Upto 400 RPM)	No	1
57	New gear box with motor of 1.5HP for elevators (160 RPM)	No	3
58	New motor of 3HP with 900 rpm (ASIA, ABB or equivalent)	No	1
59	New motor of 3HP with 1400 rpm (ASIA, ABB or equivalent)	No	4
60	Power Cables 7/36 Single core electric wire 99.9% copper	Coil	4
61	Power Cables 7/29 Single core electric wire 99.9% copper	Coil	4
62	Power Cables 3/29 Single core electric wire 99.9% copper	Coil	4
63	Grease Non Drop for plant components	kg	30
64	Gear Oil	liter	45
65	Welding Rod, 10 No	Box	10
66	Welding Rod, 12 No	Box	10
67	Contactor (32 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	10
68	Contactor(21 Ampere) for 20HP/15kw Motors (Schneider or Equivalent)	No	6
69	Contactor(16 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	6

70	Contactora(11 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
71	Contactora(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
72	Contactora(5.5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	6
73	Contactora(3.5 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	18
74	Contactora(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15
75	Contactora(1.60 Ampere) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	15
76	Overload (30-38A) for 30HP/22kw Motors (Schneider or Equivalent)	No	10
77	Overload (18-21A)for 20HP/15kw Motors (Schneider or Equivalent)	No	6
78	Overload(14-16A) for 15HP/11kw Motors (Schneider or Equivalent)	No	6
79	Overload (9-12A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
80	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
81	Overload(4.5-5.5A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	6
82	Overload(2.5-4A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	18
83	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15
84	Overload(1-1.5A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	15
85	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	5
86	Circuit Breaker (63A)for 20HP/15kw Motors (Schneider or Equivalent)	No	5
87	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	5
88	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	5
89	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
90	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
91	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	20
92	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	20

93	Circuit Breaker (6A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	10
94	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10
95	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	3000
96	Control Cable 14AWG	Coils	2
97	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1
	Services		
98	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1
99	Complete Overhauling of Aspiration System by installing new belts new GI pipes , bearings, wires & new fan rotors	Services	1
100	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1

RAHIM YAR KHAN (LOT-3)

Sr. No.	Description	Unit	Qty
1	Storage Bin Plate L=4'11" Width 3'2" (MS Gauge 14)	No	14
2	CAM body 1218	No	4
3	CAM bush 1218	No	4
4	Shaft 50mm × 66"	No	1
5	Gear Oil	Liters	30
6	Grease Non Drop	kg	30
7	Oil Seals	No	30
8	Welding Rods 10 & 12 No	box	6
9	Cutting Disc 5", 7"	No	10
10	Grinding Disc 7"	No	5
11	Motor Winding Copper Wire, Gauge No 17-23	kg	60
12	Wood Partal or equivalent for decks cut to required sizes	cft	10
13	Elevator Belt Width 10" 3ply	ft	45
14	Elevator Belt Width 8" 3ply	ft	145
15	Elevator Belt Width 6" 2ply	ft	290
16	Bucket 9" D Type 10" (Steel) for elevators	ft	50
17	Bucket 7" D type (Heavy Duty Plastic) for elevators	No	200
18	Bucket 5" D type (Heavy Duty Plastic) for elevators	No	200
19	V Belt different size(A,B,C,D,E and Z)	No	50
20	Belt Pulleys of superior quality different sizes	kg	50
21	Ball Bearing 6202 ZZ (SKF or equivalent)	No	10

22	Ball Bearing 6203 ZZ (SKF or equivalent)	No	10
23	Ball Bearing 6204 ZZ (SKF or equivalent)	No	10
24	Ball Bearing 6205 ZZ (SKF or equivalent)	No	10
25	Ball Bearing 6206 ZZ (SKF or equivalent)	No	10
26	Ball Bearing 6207 ZZ (SKF or equivalent)	No	2
27	Ball Bearing 6304 ZZ (SKF or equivalent)	No	6
28	Ball Bearing 6305 ZZ (SKF or equivalent)	No	4
29	Ball Bearing 6306 ZZ (SKF or equivalent)	No	12
30	Ball Bearing 6307 ZZ (SKF or equivalent)	No	2
31	Ball Bearing 6308 ZZ (SKF or equivalent)	No	3
32	Ball Bearing 6309 ZZ (SKF or equivalent)	No	3
33	Ball Bearing 6310 ZZ (SKF or equivalent)	No	3
34	Ball Bearing 6311 ZZ (SKF or equivalent)	No	2
35	Ball Bearing 6313 ZZ (SKF or equivalent)	No	1
36	Ball Bearing 1209 K with bush (SKF or equivalent)	No	3
37	Ball Bearing UEL 210 (SKF or equivalent)	No	3
38	Ball Bearing UEL 207-107 (SKF or equivalent)	No	3
39	Ball Bearing UEL 1218 K (SKF or equivalent)	No	6
40	Ball Bearing UEL 1211K with bush (SKF or equivalent)	No	6
41	Ball Bearing UEL 212 (SKF or equivalent)	No	1
42	Ball Bearing UEL F 212 (SKF or equivalent)	No	1
43	Ball Bearing UEL P 207 (SKF or equivalent)	No	1
44	Ball Bearing UEL H-209 (SKF or equivalent)	No	1
45	Bearing UC-210 (SKF or equivalent)	No	10
46	Bearing UC-207 (SKF or equivalent)	No	10

47	Bearing 16015 (SKF or equivalent)	No	6
48	Bearing UC-205 (SKF or equivalent)	No	6
49	Supply of Electric Motor, RPM=1450, 3HP, with gear box RPM 32-35	No	1
50	Supply of Electric Motor, RPM=1450, 3HP, with gear box RPM 25-28	No	1
51	Jute/Plastic bags stitching machine (Double Thread Double Needle) Japan/Taiwan	No	1
52	Roller for Belt Conveyor L=18", dia=2"	No	150
53	Roller for Belt Conveyor L=7", dia=2"	No	300
54	Roller for Belt Conveyor L=15.5", dia=2"	No	50
55	Roller for Belt Conveyor L=22", dia=1.5"	No	50
56	Roller for Belt Conveyor L=5", dia=1.5"	No	600
57	Roller for Belt Conveyor L=12", dia=1.5"	No	200
58	Conveyor Belt W=16", 3 ply, with (hot vulcanizing joint)	Rft	1000
59	Conveyor Belt W=11", 3 ply, with joint (hot vulcanizing joint)	Rft	100
60	Conveyor Belt W=12", 3 ply, with joint (hot vulcanizing joint)	Rft	170
61	Motor Back Covers upto 22kw	No	30
62	Motor Fans upto 22kw	No	30
63	Push Buttons Motor ON	No	100
64	Push Buttons Motor OFF	No	100
65	Contactor (70 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	10
66	Contactor(50 Ampere) for 20HP/15kw Motors (Schneider or Equivalent)	No	6
67	Contactor(32 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
68	Contactor(21 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
69	Contactor(16 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
70	Contactor(11 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	10

71	Overload (30-45A) for 30HP/22kw Motors (Schneider or Equivalent)	No	2
72	Overload (22-36A)for 20HP/15kw Motors (Schneider or Equivalent)	No	2
73	Overload (10-18A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	2
74	Overload(9-13A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
75	Overload(4-8A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	5
76	Overload(2.2-6A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	14
77	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	4
78	Circuit Breaker (50A)for 20HP/15kw Motors (Schneider or Equivalent)	No	4
79	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	6
80	Circuit Breaker (21A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
81	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
82	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	20
83	Main Electric Trolley for 11 KV Transformer	No	1
84	Electric Pannel Box Dimension 6ft x 6ft 14SWG with metallic strips	No	1
85	Electric Pannel Box Dimension 3ft x 6ft 14SWG with metallic strips	No	1
86	Electric Change Over 1000 Ampere	No	1
87	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10
88	Electric Wire 7/44	Coil	4
89	Electric Wire 3/29	Coil	1
90	Square Duct Ractangular 6"x 6" (MS Gauge 14)	Ft	50
91	Square Junction Duct for 6"x6" duct (MS Gauge 14)	No	18
92	Two Way Valve for ducts (MS Gauge 14)	No	3
93	Elbow for ducting (MS Gauge 14)	No	60
94	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	1000

95	Wood Partal or equivalent for decks cut to required sizes	Cft	40
96	Complete repair of Fork Lifter alongwith new battery & Tyres to bring it into proper working Condition	Job	1
97	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1

Services

98	Complete Overhauling of Aspiration System by replacing all Ducting pipeline, belts, bearings, wires & fans if required and bringing complete aspiration system to proper working condition	Services	1
99	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1

PIPLAN (LOT-4)

Sr. No.	Description	Unit	Qty
1	Motor Winding Copper Wire, Gauge No 19-23	kg	40
2	Square flow G.I Pipe line 6" × 6" (14 Gauge) for aspiration system	ft	150
3	Bend Shutter Elbow 6" × 6" for aspiration system	No	20
4	Belt E4, 7" 3ply	ft	50
5	Belt E7, 7" 3ply	ft	50
6	V Belt B47	No	4
7	V Belt B49	No	4
8	V Belt B50	No	4
9	V Belt B52	No	4
10	V Belt B75	No	4
11	V Belt B110	No	4
12	V Belt B134	No	4
13	V Belt B100	No	4
14	V Belt A93	No	4
15	V Belt A100	No	4
16	V Belt B54	No	7
17	V Belt B56	No	7
18	V Belt B55	No	7
19	B2 6" complete solid pulley (bore will be done by PSC Plant as required)	Kg	8
20	B2 5" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1
21	B 10" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1
22	B 3.5" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1

23	Pulley Width 6" x Height 10"	Kg	2
24	Variable Pulley 8"	Kg	8
25	Ball Bearing 6203 ZZ (SKF or equivalent)	No	2
26	Ball Bearing 6204 ZZ (SKF or equivalent)	No	3
27	Ball Bearing 6205 ZZ (SKF or equivalent)	No	2
28	Ball Bearing 6206 ZZ (SKF or equivalent)	No	2
29	Ball Bearing 6208 ZZ (SKF or equivalent)	No	2
30	Ball Bearing 6309 ZZ (SKF or equivalent)	No	2
31	Bearing UC-210 (SKF or equivalent)	No	6
32	Bearing UC-204 (SKF or equivalent)	No	2
33	Bearing UC-206 (SKF or equivalent)	No	2
34	Bearing UC-207 (SKF or equivalent)	No	2
35	Bearing UC-208 with round bracket/house (SKF or equivalent)	No	13
36	Bearing UC-208 with square bracket/house (SKF or equivalent)	No	3
37	Bearing UC-209 (SKF or equivalent)	No	4
38	Motor Back Covers for Cyclo Fan Motor 15HP	No	1
39	Motor Fans for 15HP Motor	No	2
40	Push Buttons Motor ON	No	30
41	Push Buttons Motor OFF	No	30
42	Contactor (22.5 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	3
43	Contactor(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	5
44	Contactor(5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	5
45	Contactor(4.20 Ampere) for 3HP/2.25kw Motors (Schneider or Equivalent)	No	2
46	Contactor(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	8

47	Contactora(1.60 Ampere) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	2
48	Contactora(0.45 Ampere) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	2
49	Overload (12-15A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1
50	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	2
51	Overload(4-5A) for 5HP/3.7kw Motors (Schneider or Equivalent)	No	2
52	Overload(4-5A) for 3HP/2.25kw Motors(Schneider or Equivalent)	No	1
53	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	2
54	Overload(1-1.5A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	2
55	Overload(0.1-0.5A) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	2
56	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1
57	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	2
58	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	1
59	Circuit Breaker (10A) for 3HP/2.25kw Motors(Schneider or Equivalent)	No	4
60	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	4
61	Circuit Breaker (6A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	1
62	Circuit Breaker (6A) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	1
63	Circuit Breaker (30A) (Schneider or Equivalent)	No	2
64	Circuit Breaker (50A) (Schneider or Equivalent)	No	2
65	Circuit Breaker (300A) (Schneider or Equivalent)	No	1
66	Digital Ampere Meter for Panel	No	1
67	Digital Voltmeter Panel	No	1
68	Gear Oil	Ltr	10
69	Grease Non-Drop	Kg	10
70	Roller for conveyer (4.5" with bearing)	No	20
71	Roller for conveyer (6" with bearing)	No	10
72	Roller for conveyer (16" with bearing)	No	10

73	Shaft for Gravity Machine (with bearing No.6309)	No	1
74	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	1000
75	Power Cable 7/29 Single core electric wire 99.9% copper	Coil	2
76	Power Cables 7/36 Single core electric wire 99.9% copper	Coil	3
77	Power Cable 10mm ² Single core electric wire 99.9% copper	Coil	1
78	Power Cables Wire 7/44 Single core electric wire 99.9% copper	Coil	1
79	Power Cables Wire 3/29 Single core electric wire 99.9% copper	Coil	1
80	Change Over 300A (Handle)	No	1
81	Thimble (3mm to 50mm) (1 dozen for each)	Dozen	4
82	Control Cable 14AWG	Coil	2
83	PVC Connector 30A	No	2
84	PVC Connector 60A	No	2
85	PVC Connector 100A	No	2
86	PVC Connector 150A	No	2
87	Conveyor Belt 3 ply double sided with hot valcunizing joint W=13", Roller L=14"	Rft	170
88	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	4
89	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1
Services			
90	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1
91	Complete Overhauling of Aspiration System by replacing belts, bearings, wires & installing new fans (as per sample) if required and bringing complete aspiration system to proper working condition	Services	1

92	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1
----	--	----------	---

Section-IV: Bid Data Sheet

BID DATA SHEET

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB) Section II. Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

A. Introduction												
BDS Clause Number	ITB Number	Amendments of, and Supplements to, Clauses in the Instruction to Bidders										
1.	2.1.1	Name of Procuring Agency: Project Management Unit, Punjab Seed Corporation (PMU-PSC) The subject of procurement is: Rehabilitation/Upgradation of Punjab Seed Corporation Seed Processing Units (4 Lots) SAHIWAL, KHANEWAL, RY KHAN & PIPLAN <table><tr><th>Period for Upgradation of Plants</th><th>Months</th></tr><tr><td>LOT-1 SAHIWAL</td><td>12</td></tr><tr><td>LOT-2 KHANEWAL</td><td>12</td></tr><tr><td>LOT-3 RY KHAN</td><td>12</td></tr><tr><td>LOT-4 PIPLAN</td><td>10</td></tr></table> (The Submission shall be separately against each applied Lot) Commencement date for Supply Installation & Upgradation: Immediate after Signing of Contract	Period for Upgradation of Plants	Months	LOT-1 SAHIWAL	12	LOT-2 KHANEWAL	12	LOT-3 RY KHAN	12	LOT-4 PIPLAN	10
Period for Upgradation of Plants	Months											
LOT-1 SAHIWAL	12											
LOT-2 KHANEWAL	12											
LOT-3 RY KHAN	12											
LOT-4 PIPLAN	10											
2.	2.1.2	Name of Project/ Grant: Program for Quality Seed Production and Dissemination Name of financing institution: Government of the Punjab Name and identification number of the Contract: Rehabilitation/Upgradation of Punjab Seed Corporation Seed Processing Units (4 Lots) SAHIWAL, KHANEWAL, RY KHAN & PIPLAN Tender No. CPO/PMU/PSC/24/19										
3.	2.1.3 (v)	Maximum number of members in the joint venture, consortium or association shall be: 2										
4.	2.1.3(xi)	Ineligible country(s) is or are India & Israel										

5.	2.3.5(iii)a	Bids are invited from reputed and well-established Firms/ Companies/ Contractors having registration with PEC in C-4 minimum and specialized codes EE-04 ME-06, valid NTN / Sales Tax registration with active ATL Status in FBR record for Seed Processing Units Rehabilitation/Upgradation at : SAHIWAL, KHANEWAL, RY KHAN & PIPLAN
B. Bidding Documents		
6.	2.2.2(i)	The address for clarification of Bidding Documents is : Project Management Unit, Punjab Seed Corporation(PMU-PSC), 4-Lytton Road Lahore.
7.	2.2.2(vii)	Pre-bid meeting will be/will not be held: June 11, 2024 at 11:00 AM
8.	2.3.9(i)	The number of bidding documents to be completed and returned is in one original + one copy
C. Bid Price, Currency, Language and Country of Origin		
9	2.3.1	English
10	2.3.4	The price quoted shall be PKR, delivered duty paid (DDP) price at relevant Seed Processing Unit
11.	2.1.4	DDP
12.	2.1.4 (ii)	Country of origin Pakistan
D. Preparation and Submission of Bids		

13.	2.1.3	Basic Criteria/Knock down criteria. • Bidder must meet the responsiveness criteria including the submission of Bid Security (to be provided with Technical Bid) • Registration with relevant authorities establishing legal entity of the business (SECP, Registrar of firms etc) • Registration with PEC in C-4 category and specialization in EE-04 ME-06 • Signed and stamped bid documents issued by PMU-PSC along with Bid. • Items offered must be from eligible sources. • Affidavit to the effect that:- a) Bidder is neither currently blacklisted from any government department nor is any litigation pending in this regard. b) The documents/photocopies provided with Bid are authentic. In case of any fake/bogus document found at any stage, the Bidder shall be blacklisted as per Law/ Rules. c) The provided information is correct. • Possess the financial capability, experience, and capacity to execute the project as detailed under section F, Evaluation Criteria.
14.	2.4.2(i)	Bid shall be submitted to: Project Management Unit, Punjab Seed Corporation, 4-Lytton Road Lahore
15.	2.4.2(i)	The deadline for Bid submission is a) Day: Tuesday b) Date: June 25, 2024

		Time: 2:00 PM
16.	2.6.2(i)	Amount of Performance Guarantee is: 5 % of Contract Price
17.	2.3.7(iii)	Amount of Bid security is: i) Rs. 600,000/- for Lot-1 ii) Rs. 550,000/- for Lot-2 iii) Rs. 450,000/- for Lot-3 iv) Rs. 150,000/- for Lot-4 in the shape of Pay Order/Bank Guarantee/ Demand Draft/CDR in favor of Project Management Unit, Punjab Seed Corporation.
18.	2.3.8(i)	Bid validity period after opening of the Bid is: 120 days
19.	2.3.9(i)	Number of copies of the Bid to be provided are: One Original + One copy
E. Opening and Evaluation of Bids		
20.	2.5.1(i)	The Bid opening shall take place at: Project Management Unit, Punjab Seed Corporation, 4-Lytton Road Lahore a) Day: Tuesday b) Date: June 25, 2024 Time: 2:30 PM
F. Bid Evaluation Criteria		
21.	2.5.8	Criteria to Bid evaluation. (The Evaluation shall be carried out Lot- wise) As per 2.1.3 and detailed below:

Evaluation Criteria

(The Evaluation shall be carried out Lot- wise)

To ascertain the relative suitability of the offered services, PMU PSC, Technical Evaluation Committee shall evaluate the bids as given in section 2.1.3 and this section.

Technical Evaluation Form

Applicants will be evaluated as per criteria defined below. Bidders with complete documents (as mentioned earlier) will be considered for technical evaluation.

a)	General Experience	The bidder must be in operations for at least 5 years from the date of opening of bid.
b)	Capacity Experience (Completed Similar Projects)	The firm must have completed at least following similar contracts in last 3 years. Lot-1: 1 No. Contract Lot-2: 1 No. Contract Lot-3: 1 No. Contract Lot-4: 1 No. Contract The minimum experience requirement for multiple contracts will be the sum of the minimum requirements for
c)	Financial Health	The bidder must have Average Annual Turn Over of at Least. Lot-1: PKR 30 million Lot-2: PKR 25 million Lot-3: PKR 20 million Lot-4: PKR 10 million In case of multiple participation, the requirement will be aggregated
d)	Personnel Capabilities	PEC registered Electrical Engineers with experience of at least 5 years=2 No. PEC registered Mechanical Engineers with experience of at least 5 years = 2 No.

For Criteria (b) and (c), In the case of JV, the Lead Partner must meet at least 50% of requirements against each Lot and overall.

*

AWARD OF CONTRACT: *All bids will be evaluated on basis of above given evaluation criteria and the bidders who do not fulfill above mentioned evaluation criteria will be considered as technically non- responsive bidders and will not be taken into consideration for Financial Evaluation. However technically qualified bidders (Responsive to Evaluation Criteria) will be considered as responsive bidder, and among technically responsive and qualified bidders, Financial Proposals of only Technically Qualified & responsive Bidders will be opened. The Criteria for Financial Evaluation will be **Lowest Bid**, i.e., technically qualified bidder (subject to fulfillment of all required conditions of bidding document & PPRA Rules, 2014).*

G. Award of Contract

2.6.5	Percentage for quantity increase or decrease is: 15%
2.6.2	The Performance Guarantee shall be 5% Percent of the Contract Price
2.6.2	The Performance Security (or guarantee) shall be in the form of: Demand Draft/Pay Order/Bank Guarantee/CDR

Section-V: General Conditions of Contract

1. Definitions

1.1 In this Contract, the following terms shall be interpreted as indicated:

- (a) "The Contract" means the agreement entered into between the Procuring Agency and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (c) "The Goods" means all of the equipment, machinery, and/or other materials which the Supplier is required to supply to the Procuring Agency under the Contract.
- (d) "The Services" means those services ancillary and related to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, maintenance & repair and other such obligations of the Supplier covered under the Contract.
- (e) "GCC" means the General Conditions of Contract contained in this section.
- (f) "SCC" means the Special Conditions of Contract.
- (g) "The Procuring Agency" means the organization purchasing the Goods & Services, as named in SCC.
- (h) "The Procuring Agency's country" is the country named in SCC.
- (i) "The Supplier" means the Bidder or firm supplying the Goods and Services under this Contract.
- (j) "The Project Site," where applicable, means the place or places named in SCC.
- (k) "Day" means calendar day.

2. Application	2.1. These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.
3. Country of Origin	3.1. All Goods and Services supplied under the Contract shall have their origin in the countries and territories eligible under the rules, as further elaborated in the SCC. 3.2. For purposes of this Clause, “origin” means the place where the Goods were mined, grown, or produced, or from where the Services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new product is obtained that is substantially different in basic characteristics or in purpose or utility from its components. 3.3. The origin of Goods and Services is distinct from the nationality of the Supplier. In any case, the requirements of rules 10 & 26, PPR-14, shall be followed.
4. Standards	4.1. The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods’ country of origin. Such standards shall be the latest issued by the concerned institution.
5. Use of Contract Documents and Information; Inspection and Audit by the procuring agency.	5.1. The Supplier shall not, without the Procuring Agency’s prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Agency in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance. 5.2. The Supplier shall not, without the Procuring Agency’s prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of executing the Contract. 5.3. Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Procuring Agency and shall be returned (all copies) to the Procuring Agency on completion of the Supplier’s performance under the Contract if so required by the Procuring Agency. 5.4. The Supplier shall permit the Procuring Agency to inspect the Supplier’s accounts and records relating to the performance

of the Supplier and to have them audited by auditors appointed by the donors, if so required by the donors.

6. Patent Rights

6.1. The Supplier shall indemnify the Procuring Agency against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring Agency's country.

7. Performance Guarantee

7.1. Within seven (7) days of receipt of the notification of Contract award, the successful Bidder shall furnish to the Procuring Agency the Performance Guarantee in the amount specified in SCC/Bid Data Sheet & clause 2.6.2 of ITB.

7.2. The proceeds of the Performance Guarantee shall be payable to the Procuring Agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

7.3. As per Rule-56 of PPR-14, the performance guarantee shall be denominated in the currency of the Contract acceptable to the Procuring Agency and shall be in one of the following forms:

- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring Agency's country, in the form provided in the Bidding documents or another form acceptable to the Procuring Agency; or
- (b) a Bank Guarantee, Bank call-deposit (CDR), Demand Draft (DD), Pay Order (PO) .

7.4. The performance guarantee will be discharged by the Procuring Agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC.

8. Inspections and Tests

8.1. The Procuring Agency or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Agency. SCC and the Technical Specifications shall specify what inspections and tests the Procuring Agency requires and where they are to be conducted. The Procuring Agency shall notify the Supplier in writing, in a timely manner, of the identity of any representatives nominated for these purposes.

8.2. The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of

delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s) (if so allowed by the Procuring Agency), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Agency.

8.3. Should any inspected or tested Goods fail to conform to the Specifications, the Procuring Agency may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Procuring Agency.

8.4. The Procuring Agency's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the Procuring Agency's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Procuring Agency or its representative prior to the Goods' shipment from the country of origin.

8.5. Nothing in GCC Clause 8 shall in any way release the Supplier from any warranty or other obligations under this Contract.

9. Packing

9.1. The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Procuring Agency.

10. Delivery and Documents

10.1. Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.

10.2. Upon delivery, the Procuring Agency shall give receiving certificate to the supplier with the statement that, "completion

certificate along with satisfactory report shall be issued after due inspection as per clause-8 of GCC, which will enable the supplier to put up the bill”.

10.3. For purposes of the Contract, DDP trade term used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of *Incoterms*.

10.4. Documents to be submitted by the Supplier are specified in SCC.

11. Insurance

11.1. The Goods supplied under the Contract shall be delivered duty free paid under which risk is transferred to the buyer after having been delivered, hence is seller's responsibility.

12. Transportation

12.1. The Supplier is required under the Contract to transport the Goods to a specified place of destination within the Procuring Agency's country, including insurance and storage, as shall be specified in the Contract, and related costs shall be included in the Contract Price.

13. Incidental Services

13.1. The Supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) satisfactory performance for specified time/ quantity on-site and/or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Agency's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

13.2. Prices charged by the Supplier for incidental services shall be included in the Contract Price for the Goods and shall not exceed:

- (i) the prevailing rates charged for other parties by the Supplier for similar services; and
- (ii) original price of goods.

14. Spare Parts

14.1. As specified in SCC, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (a) such spare parts as the Procuring Agency may choose to purchase from the Supplier, provided that this choice shall not relieve the Supplier of any warranty obligations under the Contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) advance notification to the Procuring Agency of the pending termination, in sufficient time to permit the Procuring Agency to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the Procuring Agency, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models selected by the Procuring Agency, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring Agency's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.

15.2. This warranty shall remain valid for *year/months* after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for *year/months* after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

15.3.The Procuring Agency shall promptly notify the Supplier in writing of any claims arising under this warranty.

15.4.Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the Procuring Agency.

15.5.If the Supplier, having been notified, fails to rectify the defect(s) within the period specified in SCC, within a reasonable period, the Procuring Agency may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Agency may have against the Supplier under the Contract/relevant provision of PPR-14 including Blacklisting.

16. Payment

16.1.The method and conditions of payment to be made to the Supplier under this Contract shall be specified in SCC.

16.2.The Supplier's request(s) for payment shall be made to the Procuring Agency in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.

16.3.As per rule-62 of PPR-14, payments shall be made promptly by the Procuring Agency, but in no case later than thirty (30) days after submission of an invoice or claim by the Supplier, provided the work is satisfactory.

16.4.The currency of payment is *PKR*

17. Prices

17.1.Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its Bid, with the exception of any price adjustments authorized in SCC.

18. Change Orders

18.1.The Procuring Agency may at any time, by a written order given to the Supplier pursuant to GCC Clause 31, make changes within the general scope of the Contract, only if required for the successful completion of the job, in any one or more of the following:

- (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Procuring Agency;
- (b) the method of shipment or packing;
- (c) the place of delivery; and/or
- (d) the Services to be provided by the Supplier.

18.2.If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Procuring Agency's change order. But, in no case, the overall impact of the change should exceed 15% of the contract cost and no provisions of PPR-14 should be violated.

19. Contract Amendments

19.1.Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by the mutual consent through written amendment signed by the parties. No variation in finalized brands/ makes/models shall be allowed except in special conditions where the manufacturer has stopped producing or suspended that model or the latest model of similar series or version has been launched by the manufacturer or non-availability due to international mergers of the manufacturers or similar unavoidable constraints.

20. Assignment

20.1.The Supplier shall not assign the whole of contract to anybody else. However, some parts of contract or its obligations may be assigned to sub-contractors with the prior written approval of the procuring agency.

21. Sub-contracts

21.1.The Supplier shall notify the Procuring Agency in the Bid of all subcontracts to be assigned under this Contract. Such notification, in the original Bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.

21.2.Subcontracts must comply with the provisions of GCC Clause 20.

22. Delays in the Supplier's Performance

22.1.Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Agency in the Schedule of Requirements-

22.2.If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Procuring Agency in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Procuring Agency shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.

22.3.Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the imposition of liquidated damages.

23. Liquidated Damages

23.1.Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring Agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Procuring Agency may consider termination of the Contract pursuant to GCC Clause 24 along with other remedies available under PPR-14.

24. Termination for Default

24.1.The Procuring Agency, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:

- (a) if the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring Agency pursuant to GCC Clause 22;
- (b) if the Supplier fails to perform any other obligation(s) under the Contract; or
- (c) if the Supplier, in the judgment of the Procuring Agency has engaged in corrupt practices in competing for or in executing the Contract. For the purpose of this clause,

corrupt practices will be defined as per Section-2 (d) of The PPRA Act, 2009.

“Corrupt practices” in respect of procurement process, shall be as given in S-2 (d) of PPRA, Act, 2009:

(d) “corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official, bidder or Contractor in the procurement process or in Contract execution to the detriment of the procuring agency; or misrepresentation of facts in order to influence a procurement process or the execution of a Contract, collusive practices among bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the procuring agency of the benefits of free and open competition and any request for, or solicitation of anything of value by any public official in the course of the exercise of his duty; it may include any of the following:

- vi. coercive practice by impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;*
- vii. collusive practice by arrangement between two or more parties to the procurement process or Contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;*
- viii. offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;*
- ix. any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;*
- x. obstructive practice by harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a Contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit process*

24.2. In the event the Procuring Agency terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Procuring Agency may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Agency for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

**25. Force
Majeure**

25.1. Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its Performance Guarantee, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

25.2. For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring Agency in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes. Both, the Procuring Agency, and the Supplier, may agree to exclude certain widespread conditions e.g: epidemics, pandemics, quarantine restrictions etc from the purview of "Force Majeure".

25.3. If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring Agency in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Agency in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. Any difference of opinion concerning "Force Majeure" may be decided through means given herein below.

**26. Terminatio
n for Insolvency**

26.1. The Procuring Agency may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Agency.

**27. Terminatio
n for
Convenience**

27.1. The Procuring Agency, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Agency's convenience, the extent to which performance of the Supplier under the Contract is

terminated, and the date upon which such termination becomes effective.

27.2. The Goods that are complete and ready for shipment (if applicable) within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Agency on the Contract terms and prices. For the remaining Goods, the Procuring Agency may choose:

- (a) to have any portion completed and delivered at the Contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Supplier.

28. Resolution of Disputes

28.1. After signing the contract or issuance of purchase order, The Procuring Agency and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.

28.2. If, after thirty (30) days from the commencement of such informal negotiations, the Procuring Agency and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in SCC. These mechanisms may include, but are not restricted to, conciliation mediated by a third party, adjudication in an agreed and/or arbitration as per rule 68 of PPR-14 and in accordance with Arbitration Act-1940.

29. Governing Language

29.1. The Contract shall be written in the language specified in SCC. Subject to GCC Clause 30, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

30. Applicable Law

30.1. The Contract shall be interpreted in accordance with the laws of Punjab (Pakistan) unless otherwise specified in SCC.

31. Notices

31.1. Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or by any information technology mean for the time being in use and acceptable in ordinary course of business to the other party's address specified in SCC.

31.2.A notice shall be effective when delivered or on the notice's effective date, whichever is later.

32. Taxes and Duties

32.1. Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods & Services to the Procuring Agency. In case of imposition of new taxes/duties or concession thereof after the deadlines for the submission of bids the effect thereof shall be borne or availed by the procuring agency as the case may be.

Section-VI. Special Conditions of Contract

Special Conditions of Contract

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Definitions (GCC Clause 1)

GCC 1.1 (g)—The Procuring Agency is: Project Management Unit (PMU), Punjab Seed Corporation (PSC).

GCC 1.1 (h)—The Procuring Agency's country is: Pakistan.

GCC 1.1 (i)—The Supplier is:

GCC 1.1 (j)—The Project Site is: Seed Processing Units, Sahiwal, Khanewal, RY Khan and Piplan

2. Country of Origin (GCC Clause 3)

Ineligible Countries: Indian & Israel

3. Performance Guarantee (GCC Clause 7)

GCC 7.1—As per rule 56 of PPR-14, the amount of Performance Guarantee, as a percentage of the Contract Price, shall be: Five (5) percent of the Contract Price

GCC 7.4—the Performance Guarantee shall be retained till the completion of rehabilitation and upgradation works against the allotted lots. The performance guarantee shall be discharged upon issuance of successful completion of all the works as per the specifications under the contract.

4. Inspections and Tests (GCC Clause 8)

GCC 8.1—Inspection and tests of Goods and at final acceptance are as follows: The Inspection of will be carried out by the Technical/Inspection Committee at the premises of Purchaser after successful shipment, installation.

5. Packing (GCC Clause 9)

GCC 9.2- All Items to be packed Properly in Polythene sheets and shall be free of dust or moisture.

6. Delivery and Documents

GCC 10.3—Upon shipment, the Supplier shall notify the Procuring Agency the full details of the shipment, including Contract number, description of Goods, services quantity and usual transport document. The Supplier shall mail the following documents to the Procuring Agency:

- (i) copies of the Supplier's invoice showing Goods' and Services description, quantity, unit price, and total amount;
- (ii) copies of the packing list identifying contents of each package;
- (iii) Inspection certificates issued by the Procuring Agency nominated inspection Committee.

7. Insurance (GCC Clause 11)

GCC 11.1— The Goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after having been delivered, hence insurance coverage is sellers' responsibility. Since the Insurance is sellers' responsibility, they may arrange appropriate coverage.

8. Incidental Services (GCC Clause 13)

Not Applicable

9. Spare Parts (GCC Clause 14)

Deleted

10. Warranty (GCC Clause 15)

As per the Manufacturer /1 year from the date of Successful Supply, Installation.

11. Sample Provision (GCC Clause 11)

Deleted

12. Payment (GCC Clause 16)

Payment may be made in Pak. Rupees against the accepted unit rates, as per actual basis in the following manner:

Upon Supply of Items and delivery of services as per the Specifications

- (i) 100% of the supplied & installed items and delivered services (entire scope of service) duly inspected and accepted as per the specifications.
- (ii) Part payment would be allowed on actual basis in shape of Interim Payment certificate on monthly basis.
- (iii) Services shall be Paid as 20% of goods price against installation not exceeding total services cost under the contract, whereas balance shall be adjusted against the final acceptance upon completion of all works.

13. Prices (GCC Clause 17)

GCC 17.1—Prices shall be fixed and shall not be adjusted.

14. Liquidated Damages (GCC Clause 23)

GCC 23.1—Applicable rate: One percent 1% of the Contract Price per week

Maximum deduction: Ten (10) percent of the Contract Price

15. Resolution of Disputes (GCC Clause 28)

GCC 28.2—The dispute resolution mechanism to be applied pursuant to GCC Clause 28.2 shall be as follows:

As per rule-68 of PPR-14, in the case of a dispute between the Procuring Agency and the Supplier, the dispute shall be referred for arbitration in accordance with the Arbitration Act 1940.

16. Governing Language (GCC Clause 29)

GCC 29.1—The Governing Language shall be: English

17. Applicable Law (GCC Clause 30)

GCC 30.1-The Contract shall be interpreted in accordance with the laws applicable in the jurisdiction of the province of Punjab (Pakistan):

18. Notices (GCC Clause 31)

GCC 31.1—Procuring Agency's address for notice purposes:

Project Management Unit, Punjab Seed Corporation (PMU-PSC),
4 Lytton Road, Lahore.

—Supplier's address for notice purposes:

Section-VII. Schedule of Requirements

7.1 Schedule of Requirements

The Supply & Install schedule expressed as months stipulates the Intended Completion Date from the signing of Contract.

Lot No	Description	Supply Installation schedule expressed in months
Lot-1	Sahiwal	12 Months
Lot-2	Khanewal	12 Months
Lot-3	Rahim Yar Khan	10 Months
Lot-4	Piplan	10 Months

Section-VIII: Sample Forms

8.1. General Information Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

	Particulars			
Company Name				
Abbreviated Name				
National Tax No.			Sales Tax Registration No	
PRA Tax No.				
No. of Employees			Company's Date of Formation	

*Please attach copies of NTN GST Registration Certificate

Registered Office Address		State/Province	
City/Town		Postal Code	
Phone		Fax	
Email Address		Website Address	

8.2. Bidder Profile Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

Sr.#	Particulars
1.	Name of the company:
2.	Registered Office:
Address:	
Office Telephone Number:	
Fax Number:	
3.	Contact Person:
Name:	
Personal Telephone Number:	
Email Address:	
4.	Local office if any:
Address:	
Office Telephone Number:	
Fax Number:	
5.	Registration Details:

8.3. Technical Bid Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

Sr. #	Description	Lot No.	Requirements
1.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit Sahiwal	Lot-1	As per Specification Section III
2.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit Khanewal	Lot-2	As per Specification Section III
3.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit RY Khan	Lot-3	As per Specification Section III
4.	Rehabilitation/Upgradation of Punjab Seed Corporation Processing Unit Sahiwal Piplan	Lot-4	As per Specification Section III

SAHIWAL (LOT-1)

Sr. No.	Description	Unit	Qty
1	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=19", Roller L=20"	ft	620
2	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=22", Roller L=23"	ft	750
3	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=23", Roller L=24"	ft	565
4	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=25", Roller L=26"	ft	200
5	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=29", Roller L=30"	ft	300
6	Elevator Belt 4 ply W=6",	ft	2200
7	Elevator Belt , 9" 3ply	ft	65
8	Elevator Belt , 7.5" 3ply	ft	270
9	Elevator Belt , 6" 2ply	ft	400
10	Bucket 8.5" (Plastic)	No	200
11	Bucket 7" (Plastic)	No	200
12	Bucket 5.5" (Plastic)	No	700

13	Motor Winding 99.9% copper Wire. 22 No (50kg), 25 No (10kg), 18 No (20kg), 27 No (10kg)	kg	90
14	V Belt different size(A,B,C,D,E and Z)	No	100
15	Belt Pulleys of superior quality different sizes	kg	30
16	Shaft Bearing 6019 (SKF or equivalent)	No	3
17	Ball Bearing 6202 ZZ (SKF or equivalent)	No	10
18	Ball Bearing 6204 ZZ (SKF or equivalent)	No	10
19	Ball Bearing 6205 ZZ (SKF or equivalent)	No	12
20	Ball Bearing 6206 ZZ (SKF or equivalent)	No	16
21	Ball Bearing 6207 ZZ (SKF or equivalent)	No	6
22	Ball Bearing 6208 ZZ (SKF or equivalent)	No	6
23	Ball Bearing 6210 ZZ (SKF or equivalent)	No	4
24	Ball Bearing 6213 ZZ (SKF or equivalent)	No	2
25	Ball Bearing 6308 ZZ (SKF or equivalent)	No	2
26	Ball Bearing 6306 ZZ (SKF or equivalent)	No	2
27	Ball Bearing 6307 ZZ (SKF or equivalent)	No	2
28	Ball Bearing 6308 ZZ (SKF or equivalent)	No	4
29	Ball Bearing 6309 ZZ (SKF or equivalent)	No	4
30	Ball Bearing 6310 ZZ (SKF or equivalent)	No	2
31	Ball Bearing 6313 ZZ (SKF or equivalent)	No	2
32	Ball Bearing 6217 ZZ (SKF or equivalent)	No	2
33	Ball Bearing 6314 ZZ (SKF or equivalent)	No	2
34	Ball Bearing UC 205 (SKF or equivalent)	No	6
35	Ball Bearing UC 212 (SKF or equivalent)	No	6
36	Motor Back Covers Upto 75Kw	No	30

37	Motor Fans Upto 75 Kw	No	30
38	Push Buttons Motor ON	No	100
39	Push Buttons Motor OFF	No	100
40	Contactor (110 Ampere) for 100HP/75kw Motors (Schneider or Equivalent)	No	3
41	Contactor (82 Ampere) for 75HP/56kw Motors (Schneider or Equivalent)	No	3
42	Contactor (44 Ampere) for 40HP/30kw Motors (Schneider or Equivalent)	No	3
43	Contactor (32 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	6
44	Contactor(16 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	15
45	Contactor(11 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
46	Contactor(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
47	Contactor(5.5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
48	Contactor(3.5 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	10
49	Contactor(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15
50	Contactor(0.53 Ampere) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	10
51	Overload (90-115A) for 100HP/75kw Motors (Schneider or Equivalent)	No	1
52	Overload (70-90A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1
53	Overload (35-45A) for 40HP/30kw Motors (Schneider or Equivalent)	No	1
54	Overload (30-38A) for 30HP/22kw Motors (Schneider or Equivalent)	No	2
55	Overload(14-16A) for 15HP/11kw Motors (Schneider or Equivalent)	No	5
56	Overload (9-12A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
57	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
58	Overload(4.5-5.5A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	3
59	Overload(2.5-4A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	7

60	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	11
61	Overload(0.4-0.63A) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	7
62	Circuit Breaker (250A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1
63	Circuit Breaker (150A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1
64	Circuit Breaker (100A) for 40HP/30kw Motors (Schneider or Equivalent)	No	1
65	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	3
66	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1
67	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	8
68	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
69	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
70	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	15
71	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	7
72	Circuit Breaker (6A) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	7
73	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10
74	Control Cable 14AWG	Coils	4
75	Control Cable 7/29	Coils	4
76	Control Cable 3/29	Coils	4
77	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe	Job	1

	should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.		
78	GI Flow Pipe 5" dia for Pre-Section	ft	675
79	GI Flow Pipe 18" dia for Pre-Section	ft	600
80	GI Flow Pipe 5" dia Bends & Elbow different dia (15°,25°,35°,45°)	No	70
81	GI Flow Pipe 18" dia Bends & Elbow different dia (15°,25°,35°,45°)	No	70
82	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	3000
83	Power Cable 7/29	m	200
84	Power Cable 3/29	m	200
85	Stacker conveyer complete in all respects including structure	ft	25
86	Optical Sensor including installation from panel to device (To measure the availability of material on conveyers)	No	5
87	Level Sensor including installation from panel to device (To measure the level of dry seeds in chambers)	No	5
88	Relay (24 VDC,0.5-2A)	No	7
89	Magnetic Contactor (3P, 5-32A)	No	7
90	Over Current Relay (5-100A)	No	13
91	Circuit Breaker (3P, 5-32A)	No	7
92	Power Supply (24VDC 10A)	No	1
93	HMI 10" display (PN/IE supported color display)	No	1
94	Power Supply for control system (24VDC 10A)	No	1
95	Supply of MS mesh (screen) 20guage Size 55" X 8' 2.25mm+2.335mm+2.40mm	Set	32

Services			
96	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1
97	Complete Overhauling of Aspiration System by replacing belts, bearings, wires & new fans if required and bringing complete aspiration system to proper working condition	Services	1
98	Overhauling of 8 Elevators and allied parts including replacement of cover, hopper, wheel worm, shaft, processing V, with bearing and repairing cleaner with elevator, jock, bush, bearing shaft & different size hopper & pipes replace and complete overhauling	Services	1
99	Installation and commissioning of Complete Automation System (PLC modules to take feed back and control of all process. Supports PN/IE protocol, optical sensors, humidity sensors, temp sensors. I/O count : DI:50, DO 60, temp 56, humidity 56, display and power supplies including calibration, Programming and Process visualization (Data logging, report generation, alarm logging, alarm alerts, interlocking, process automation, process simulation))	Services	1
100	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1

KHANEWAL (LOT-2)

Sr. No.	Description	Unit	Qty
1	Conveyer Belt W=16" 2 Ply	ft	900
2	Conveyer Belt Rollers, 7" × 2"	No	900
3	Conveyer Belt Rollers, 15.5" × 2"	No	225
4	Conveyer Belt Rollers, 17.5" × 2"	No	360
5	Roller Holding Strips	No	1,350
6	Shaft 50mm × 66"	No	5
7	Oil Seal 85 × 110 × 12	No	21
8	Oil Seal 90 × 110 × 12	No	21
9	Motor Winding 99.9% copper Wire. 22 No (50kg), 25 No (10kg), 18 No (20kg), 27 No (10kg)	kg	90
10	Square flow Pipe line 6" × 6" (14 Gauge) for aspiration system	ft	675
11	Square flow Pipe line 8" × 8" (14 Gauge) for aspiration system	ft	45
12	Bend Shutter Elbow 6" × 6" (14 Gauge) for aspiration system	No	65
13	Bend Shutter Elbow 8" × 8", (14 Gauge) for aspiration system	No	4
14	Wood Partal or equivalent for decks cut to required sizes	Cft	36
15	Elevator Belt , 9" 3ply	ft	65
16	Elevator Belt , 7.5" 3ply	ft	270
17	Elevator Belt , 6" 2ply	ft	400
18	Bucket 8.5" (Plastic)	No	200
19	Bucket 7" (Plastic)	No	200
20	Bucket 5.5" (Plastic)	No	400
21	V Belt different size (A,B,C,D,E and Z)	No	100

22	Belt Pulleys of superior quality different sizes	kg	35
23	Ball Bearing 6202 ZZ (SKF or equivalent)	No	20
24	Ball Bearing 6203 ZZ (SKF or equivalent)	No	20
25	Ball Bearing 6204 ZZ (SKF or equivalent)	No	20
26	Ball Bearing 6205 ZZ (SKF or equivalent)	No	20
27	Ball Bearing 6206 ZZ (SKF or equivalent)	No	10
28	Ball Bearing 6208 ZZ (SKF or equivalent)	No	10
29	Ball Bearing 6209 K with bush H209 (40) (SKF or equivalent)	No	16
30	Ball Bearing 6210 ZZ (SKF or equivalent)	No	4
31	Ball Bearing 6305 ZZ (SKF or equivalent)	No	6
32	Ball Bearing 6306 ZZ (SKF or equivalent)	No	20
33	Ball Bearing 6307 ZZ (SKF or equivalent)	No	4
34	Ball Bearing 6308 ZZ (SKF or equivalent)	No	4
35	Ball Bearing 6309 ZZ (SKF or equivalent)	No	2
36	Ball Bearing 6310 ZZ (SKF or equivalent)	No	2
37	Ball Bearing 6311 ZZ (SKF or equivalent)	No	2
38	Ball Bearing 6313 ZZ (SKF or equivalent)	No	2
39	Ball Bearing 6209 K (SKF or equivalent)	No	4
40	Ball Bearing UEL 207 K (SKF or equivalent)	No	4
41	Ball Bearing UEL 210 (50mm) and Body F 210 (SKF or equivalent)	No	20
42	Ball Bearing UEL 208 and Body F 208 (SKF or equivalent)	No	2
43	Ball Bearing UEL 206 (30mm) and Body F 206 (SKF or equivalent)	No	12
44	Ball Bearing UEL 207 with Body F207 (40) P207(26) (SKF or equivalent)	No	24
45	Ball Bearing UEL 1218 K with cam bush (40) and cam body (40)(SKF or equivalent)	No	12

46	Ball Bearing UEL 1211K with cam bush (30) and cam body (30)(SKF or equivalent)	No	10
47	Ball Bearing 16015 (SKF or equivalent)	No	16
48	UC 212 Bearing and Body F212 (SKF or equivalent)	No	4
49	UC 208 Bearing and Body T208 (SKF or Equivalent)	No	6
50	Motor Back Covers upto 22 KW	No	30
51	Motor Fans upto 22KW	No	30
52	Push Buttons Motor ON (16mm)	No	40
53	Push Buttons Motor OFF (16mm)	No	40
54	2 HP New Motor with gear box of RPM 25	No	1
55	New Indent Cylinder variable gear box with new motors of 2HP (20-32 RPM)	No	3
56	New blower variable gear box with new motors of 7.5 HP (Upto 400 RPM)	No	1
57	New gear box with motor of 1.5HP for elevators (160 RPM)	No	3
58	New motor of 3HP with 900 rpm (ASIA, ABB or equivalent)	No	1
59	New motor of 3HP with 1400 rpm (ASIA, ABB or equivalent)	No	4
60	Power Cables 7/36 Single core electric wire 99.9% copper	Coil	4
61	Power Cables 7/29 Single core electric wire 99.9% copper	Coil	4
62	Power Cables 3/29 Single core electric wire 99.9% copper	Coil	4
63	Grease Non Drop for plant components	kg	30
64	Gear Oil	liter	45
65	Welding Rod, 10 No	Box	10
66	Welding Rod, 12 No	Box	10
67	Contactor (32 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	10
68	Contactor(21 Ampere) for 20HP/15kw Motors (Schneider or Equivalent)	No	6
69	Contactor(16 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	6

70	Contactora(11 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
71	Contactora(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
72	Contactora(5.5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	6
73	Contactora(3.5 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	18
74	Contactora(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15
75	Contactora(1.60 Ampere) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	15
76	Overload (30-38A) for 30HP/22kw Motors (Schneider or Equivalent)	No	10
77	Overload (18-21A)for 20HP/15kw Motors (Schneider or Equivalent)	No	6
78	Overload(14-16A) for 15HP/11kw Motors (Schneider or Equivalent)	No	6
79	Overload (9-12A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
80	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
81	Overload(4.5-5.5A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	6
82	Overload(2.5-4A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	18
83	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15
84	Overload(1-1.5A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	15
85	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	5
86	Circuit Breaker (63A)for 20HP/15kw Motors (Schneider or Equivalent)	No	5
87	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	5
88	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	5
89	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
90	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
91	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	20
92	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	20

93	Circuit Breaker (6A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	10
94	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10
95	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	3000
96	Control Cable 14AWG	Coils	2
97	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1
	Services		
98	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1
99	Complete Overhauling of Aspiration System by installing new belts new GI pipes , bearings, wires & new fan rotors	Services	1
100	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1

RAHIM YAR KHAN (LOT-3)

Sr. No.	Description	Unit	Qty
1	Storage Bin Plate L=4'11" Width 3'2" (MS Gauge 14)	No	14
2	CAM body 1218	No	4
3	CAM bush 1218	No	4
4	Shaft 50mm × 66"	No	1
5	Gear Oil	Liters	30
6	Grease Non Drop	kg	30
7	Oil Seals	No	30
8	Welding Rods 10 & 12 No	box	6
9	Cutting Disc 5", 7"	No	10
10	Grinding Disc 7"	No	5
11	Motor Winding Copper Wire, Gauge No 17-23	kg	60
12	Wood Partal or equivalent for decks cut to required sizes	cft	10
13	Elevator Belt Width 10" 3ply	ft	45
14	Elevator Belt Width 8" 3ply	ft	145
15	Elevator Belt Width 6" 2ply	ft	290
16	Bucket 9" D Type 10" (Steel) for elevators	ft	50
17	Bucket 7" D type (Heavy Duty Plastic) for elevators	No	200
18	Bucket 5" D type (Heavy Duty Plastic) for elevators	No	200
19	V Belt different size(A,B,C,D,E and Z)	No	50
20	Belt Pulleys of superior quality different sizes	kg	50
21	Ball Bearing 6202 ZZ (SKF or equivalent)	No	10

22	Ball Bearing 6203 ZZ (SKF or equivalent)	No	10
23	Ball Bearing 6204 ZZ (SKF or equivalent)	No	10
24	Ball Bearing 6205 ZZ (SKF or equivalent)	No	10
25	Ball Bearing 6206 ZZ (SKF or equivalent)	No	10
26	Ball Bearing 6207 ZZ (SKF or equivalent)	No	2
27	Ball Bearing 6304 ZZ (SKF or equivalent)	No	6
28	Ball Bearing 6305 ZZ (SKF or equivalent)	No	4
29	Ball Bearing 6306 ZZ (SKF or equivalent)	No	12
30	Ball Bearing 6307 ZZ (SKF or equivalent)	No	2
31	Ball Bearing 6308 ZZ (SKF or equivalent)	No	3
32	Ball Bearing 6309 ZZ (SKF or equivalent)	No	3
33	Ball Bearing 6310 ZZ (SKF or equivalent)	No	3
34	Ball Bearing 6311 ZZ (SKF or equivalent)	No	2
35	Ball Bearing 6313 ZZ (SKF or equivalent)	No	1
36	Ball Bearing 1209 K with bush (SKF or equivalent)	No	3
37	Ball Bearing UEL 210 (SKF or equivalent)	No	3
38	Ball Bearing UEL 207-107 (SKF or equivalent)	No	3
39	Ball Bearing UEL 1218 K (SKF or equivalent)	No	6
40	Ball Bearing UEL 1211K with bush (SKF or equivalent)	No	6
41	Ball Bearing UEL 212 (SKF or equivalent)	No	1
42	Ball Bearing UEL F 212 (SKF or equivalent)	No	1
43	Ball Bearing UEL P 207 (SKF or equivalent)	No	1
44	Ball Bearing UEL H-209 (SKF or equivalent)	No	1
45	Bearing UC-210 (SKF or equivalent)	No	10
46	Bearing UC-207 (SKF or equivalent)	No	10

47	Bearing 16015 (SKF or equivalent)	No	6
48	Bearing UC-205 (SKF or equivalent)	No	6
49	Supply of Electric Motor, RPM=1450, 3HP, with gear box RPM 32-35	No	1
50	Supply of Electric Motor, RPM=1450, 3HP, with gear box RPM 25-28	No	1
51	Jute/Plastic bags stitching machine (Double Thread Double Needle) Japan/Taiwan	No	1
52	Roller for Belt Conveyor L=18", dia=2"	No	150
53	Roller for Belt Conveyor L=7", dia=2"	No	300
54	Roller for Belt Conveyor L=15.5", dia=2"	No	50
55	Roller for Belt Conveyor L=22", dia=1.5"	No	50
56	Roller for Belt Conveyor L=5", dia=1.5"	No	600
57	Roller for Belt Conveyor L=12", dia=1.5"	No	200
58	Conveyor Belt W=16", 3 ply, with (hot vulcanizing joint)	Rft	1000
59	Conveyor Belt W=11", 3 ply, with joint (hot vulcanizing joint)	Rft	100
60	Conveyor Belt W=12", 3 ply, with joint (hot vulcanizing joint)	Rft	170
61	Motor Back Covers upto 22kw	No	30
62	Motor Fans upto 22kw	No	30
63	Push Buttons Motor ON	No	100
64	Push Buttons Motor OFF	No	100
65	Contactors (70 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	10
66	Contactors (50 Ampere) for 20HP/15kw Motors (Schneider or Equivalent)	No	6
67	Contactors (32 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10
68	Contactors (21 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
69	Contactors (16 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
70	Contactors (11 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	10

71	Overload (30-45A) for 30HP/22kw Motors (Schneider or Equivalent)	No	2
72	Overload (22-36A)for 20HP/15kw Motors (Schneider or Equivalent)	No	2
73	Overload (10-18A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	2
74	Overload(9-13A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
75	Overload(4-8A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	5
76	Overload(2.2-6A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	14
77	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	4
78	Circuit Breaker (50A)for 20HP/15kw Motors (Schneider or Equivalent)	No	4
79	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	6
80	Circuit Breaker (21A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10
81	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10
82	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	20
83	Main Electric Trolley for 11 KV Transformer	No	1
84	Electric Pannel Box Dimension 6ft x 6ft 14SWG with metallic strips	No	1
85	Electric Pannel Box Dimension 3ft x 6ft 14SWG with metallic strips	No	1
86	Electric Change Over 1000 Ampere	No	1
87	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10
88	Electric Wire 7/44	Coil	4
89	Electric Wire 3/29	Coil	1
90	Square Duct Ractangular 6"x 6" (MS Gauge 14)	Ft	50
91	Square Junction Duct for 6"x6" duct (MS Gauge 14)	No	18
92	Two Way Valve for ducts (MS Gauge 14)	No	3
93	Elbow for ducting (MS Gauge 14)	No	60
94	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	1000

95	Wood Partal or equivalent for decks cut to required sizes	Cft	40
96	Complete repair of Fork Lifter alongwith new battery & Tyres to bring it into proper working Condition	Job	1
97	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1

Services

98	Complete Overhauling of Aspiration System by replacing all Ducting pipeline, belts, bearings, wires & fans if required and bringing complete aspiration system to proper working condition	Services	1
99	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1

PIPLAN (LOT-4)

Sr. No.	Description	Unit	Qty
1	Motor Winding Copper Wire, Gauge No 19-23	kg	40
2	Square flow G.I Pipe line 6" × 6" (14 Gauge) for aspiration system	ft	150
3	Bend Shutter Elbow 6" × 6" for aspiration system	No	20
4	Belt E4, 7" 3ply	ft	50
5	Belt E7, 7" 3ply	ft	50
6	V Belt B47	No	4
7	V Belt B49	No	4
8	V Belt B50	No	4
9	V Belt B52	No	4
10	V Belt B75	No	4
11	V Belt B110	No	4
12	V Belt B134	No	4
13	V Belt B100	No	4
14	V Belt A93	No	4
15	V Belt A100	No	4
16	V Belt B54	No	7
17	V Belt B56	No	7
18	V Belt B55	No	7
19	B2 6" complete solid pulley (bore will be done by PSC Plant as required)	Kg	8
20	B2 5" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1
21	B 10" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1
22	B 3.5" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1

23	Pulley Width 6" x Height 10"	Kg	2
24	Variable Pulley 8"	Kg	8
25	Ball Bearing 6203 ZZ (SKF or equivalent)	No	2
26	Ball Bearing 6204 ZZ (SKF or equivalent)	No	3
27	Ball Bearing 6205 ZZ (SKF or equivalent)	No	2
28	Ball Bearing 6206 ZZ (SKF or equivalent)	No	2
29	Ball Bearing 6208 ZZ (SKF or equivalent)	No	2
30	Ball Bearing 6309 ZZ (SKF or equivalent)	No	2
31	Bearing UC-210 (SKF or equivalent)	No	6
32	Bearing UC-204 (SKF or equivalent)	No	2
33	Bearing UC-206 (SKF or equivalent)	No	2
34	Bearing UC-207 (SKF or equivalent)	No	2
35	Bearing UC-208 with round bracket/house (SKF or equivalent)	No	13
36	Bearing UC-208 with square bracket/house (SKF or equivalent)	No	3
37	Bearing UC-209 (SKF or equivalent)	No	4
38	Motor Back Covers for Cyclo Fan Motor 15HP	No	1
39	Motor Fans for 15HP Motor	No	2
40	Push Buttons Motor ON	No	30
41	Push Buttons Motor OFF	No	30
42	Contactors (22.5 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	3
43	Contactors(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	5
44	Contactors(5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	5
45	Contactors(4.20 Ampere) for 3HP/2.25kw Motors (Schneider or Equivalent)	No	2
46	Contactors(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	8

47	Contactora(1.60 Ampere) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	2
48	Contactora(0.45 Ampere) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	2
49	Overload (12-15A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1
50	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	2
51	Overload(4-5A) for 5HP/3.7kw Motors (Schneider or Equivalent)	No	2
52	Overload(4-5A) for 3HP/2.25kw Motors(Schneider or Equivalent)	No	1
53	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	2
54	Overload(1-1.5A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	2
55	Overload(0.1-0.5A) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	2
56	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1
57	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	2
58	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	1
59	Circuit Breaker (10A) for 3HP/2.25kw Motors(Schneider or Equivalent)	No	4
60	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	4
61	Circuit Breaker (6A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	1
62	Circuit Breaker (6A) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	1
63	Circuit Breaker (30A) (Schneider or Equivalent)	No	2
64	Circuit Breaker (50A) (Schneider or Equivalent)	No	2
65	Circuit Breaker (300A) (Schneider or Equivalent)	No	1
66	Digital Ampere Meter for Panel	No	1
67	Digital Voltmeter Panel	No	1
68	Gear Oil	Ltr	10
69	Grease Non-Drop	Kg	10
70	Roller for conveyer (4.5" with bearing)	No	20
71	Roller for conveyer (6" with bearing)	No	10
72	Roller for conveyer (16" with bearing)	No	10

73	Shaft for Gravity Machine (with bearing No.6309)	No	1
74	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	1000
75	Power Cable 7/29 Single core electric wire 99.9% copper	Coil	2
76	Power Cables 7/36 Single core electric wire 99.9% copper	Coil	3
77	Power Cable 10mm ² Single core electric wire 99.9% copper	Coil	1
78	Power Cables Wire 7/44 Single core electric wire 99.9% copper	Coil	1
79	Power Cables Wire 3/29 Single core electric wire 99.9% copper	Coil	1
80	Change Over 300A (Handle)	No	1
81	Thimble (3mm to 50mm) (1 dozen for each)	Dozen	4
82	Control Cable 14AWG	Coil	2
83	PVC Connector 30A	No	2
84	PVC Connector 60A	No	2
85	PVC Connector 100A	No	2
86	PVC Connector 150A	No	2
87	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=13", Roller L=14"	Rft	170
88	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	4
89	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1
Services			
90	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1
91	Complete Overhauling of Aspiration System by replacing belts, bearings, wires & installing new fans (as per sample) if required and bringing complete aspiration system to proper working condition	Services	1

92	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1
----	--	----------	---

Note: Bidders are required to mention **all items**, in the Technical Specifications and Bill of Quantity (BOQ) for **each LOT separately**, partial bids will be **rejected**.

Stamp & Signature of Bidder _____

8.4. Financial Capability Form

Name of Applicant (Firm/Company/ Contractor)
--

Annual Turnover		
Year	Turnover (in actual currency)	Equivalent Rupees in Millions.
1.		
2.		
3.		

*Calculated as total certified payments received for contracts in progress and/or completed during the last **three** years.*

8.5. Relevant Experience Form

Details of Contracts of completed projects.

Name of Applicant (Firm/Company/ Contractor)
--

Use a separate sheet for each contract.

1.	Name of Contract
	Country
2.	Name of Client
3.	Client Address
4.	Nature of works and special features relevant to the contract.
5.	Contract Role (Tick One) (a) Sole Contractor (b) Sub- Contractor
6.	Value of the total contract (in specified currencies) at completion, or at date of award for current contract Currency..... Currency..... Currency.....
7.	Equivalent in Pak/Rs.
8.	Date of Award
9.	Date of Completion
10.	Contract Duration (Years and Months) _____Years _____Months
11.	Specified Requirements

8.6 Bid Form (Financial Bid)

*[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with the Bid, in case of Single Stage One Envelope Procedure and with the **Financial Bid**, in case of Single Stage Two Envelope Procedure]*

Date: _____

To: *[name and address of Procuring Agency]*

Gentlemen and/or Ladies:

Having examined the Bidding documents including Addenda Nos. *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver *[description of goods and services]* in conformity with the said Bidding documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we will obtain the guarantee of a bank in a sum equivalent to _____ percent of the Contract Price for the due performance of the Contract, in the form prescribed by the Procuring Agency.

We agree to a Bid by this Bid for a period of *[number]* days from the date fixed to Bid opening under Clause 2.3.9 of the Instructions to Bidders, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed (*if required*), this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
---------------------------	---------------------	-----------------------------------

_____	_____	
_____	_____	

(if none, state "none")

We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated this _____ day of _____ 20_____.

[signature] [in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Financial Bid]

Total Bid value (against which a Bid shall be evaluated) in figure.

Total Bid value (against which a Bid shall be evaluated) in words.

Note:

In case of difference between unit price and total price, unit price shall prevail and total price shall be "final". *(Please refer ITB clause 2.5.6).*

In case of difference between amount in "words" and amount in "figures", amount in "words" shall be considered final.

Stamp & Signature of Bidder _____

8.7. Price Schedule

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Financial Bid]

Bill of Quantities (BoQ) for Upgradation/Rehabilitation of Plants

SAHIWAL (LOT-1)

Sr. No.	Description	Unit	Qty	Unit Price (Rs.)	Amount (Rs.)
1	Conveyor Belt 3 ply double sided with hot valcunizing joint W=19", Roller L=20"	ft	620		
2	Conveyor Belt 3 ply double sided with hot valcunizing joint W=22", Roller L=23"	ft	750		
3	Conveyor Belt 3 ply double sided with hot valcunizing joint W=23", Roller L=24"	ft	565		
4	Conveyor Belt 3 ply double sided with hot valcunizing joint W=25", Roller L=26"	ft	200		
5	Conveyor Belt 3 ply double sided with hot valcunizing joint W=29", Roller L=30"	ft	300		
6	Elevator Belt 4 ply W=6",	ft	2200		
7	Elevator Belt , 9" 3ply	ft	65		
8	Elevator Belt , 7.5" 3ply	ft	270		
9	Elevator Belt , 6" 2ply	ft	400		
10	Bucket 8.5" (Plastic)	No	200		
11	Bucket 7" (Plastic)	No	200		
12	Bucket 5.5" (Plastic)	No	700		
13	Motor Winding 99.9% copper Wire. 22 No (50kg), 25 No (10kg), 18 No (20kg), 27 No (10kg)	kg	90		
14	V Belt different size(A,B,C,D,E and Z)	No	100		
15	Belt Pulleys of superior quality different sizes	kg	30		
16	Shaft Bearing 6019 (SKF or equivalent)	No	3		

17	Ball Bearing 6202 ZZ (SKF or equivalent)	No	10		
18	Ball Bearing 6204 ZZ (SKF or equivalent)	No	10		
19	Ball Bearing 6205 ZZ (SKF or equivalent)	No	12		
20	Ball Bearing 6206 ZZ (SKF or equivalent)	No	16		
21	Ball Bearing 6207 ZZ (SKF or equivalent)	No	6		
22	Ball Bearing 6208 ZZ (SKF or equivalent)	No	6		
23	Ball Bearing 6210 ZZ (SKF or equivalent)	No	4		
24	Ball Bearing 6213 ZZ (SKF or equivalent)	No	2		
25	Ball Bearing 6308 ZZ (SKF or equivalent)	No	2		
26	Ball Bearing 6306 ZZ (SKF or equivalent)	No	2		
27	Ball Bearing 6307 ZZ (SKF or equivalent)	No	2		
28	Ball Bearing 6308 ZZ (SKF or equivalent)	No	4		
29	Ball Bearing 6309 ZZ (SKF or equivalent)	No	4		
30	Ball Bearing 6310 ZZ (SKF or equivalent)	No	2		
31	Ball Bearing 6313 ZZ (SKF or equivalent)	No	2		
32	Ball Bearing 6217 ZZ (SKF or equivalent)	No	2		
33	Ball Bearing 6314 ZZ (SKF or equivalent)	No	2		
34	Ball Bearing UC 205 (SKF or equivalent)	No	6		
35	Ball Bearing UC 212 (SKF or equivalent)	No	6		
36	Motor Back Covers Upto 75Kw	No	30		
37	Motor Fans Upto 75 Kw	No	30		
38	Push Buttons Motor ON	No	100		
39	Push Buttons Motor OFF	No	100		
40	Contactor (110 Ampere) for 100HP/75kw Motors (Schneider or Equivalent)	No	3		

41	Contactors (82 Ampere) for 75HP/56kw Motors (Schneider or Equivalent)	No	3		
42	Contactors (44 Ampere) for 40HP/30kw Motors (Schneider or Equivalent)	No	3		
43	Contactors (32 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	6		
44	Contactors (16 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	15		
45	Contactors (11 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10		
46	Contactors (8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
47	Contactors (5.5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10		
48	Contactors (3.5 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	10		
49	Contactors (2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15		
50	Contactors (0.53 Ampere) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	10		
51	Overload (90-115A) for 100HP/75kw Motors (Schneider or Equivalent)	No	1		
52	Overload (70-90A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1		
53	Overload (35-45A) for 40HP/30kw Motors (Schneider or Equivalent)	No	1		
54	Overload (30-38A) for 30HP/22kw Motors (Schneider or Equivalent)	No	2		
55	Overload (14-16A) for 15HP/11kw Motors (Schneider or Equivalent)	No	5		
56	Overload (9-12A) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10		
57	Overload (6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
58	Overload (4.5-5.5A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	3		
59	Overload (2.5-4A) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	7		
60	Overload (1.6-2.5A) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	11		
61	Overload (0.4-0.63A) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	7		
62	Circuit Breaker (250A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1		
63	Circuit Breaker (150A) for 75HP/56kw Motors (Schneider or Equivalent)	No	1		

64	Circuit Breaker (100A) for 40HP/30kw Motors (Schneider or Equivalent)	No	1		
65	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	3		
66	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1		
67	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	8		
68	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
69	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10		
70	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	15		
71	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	7		
72	Circuit Breaker (6A) for 0.5HP/0.37kw Motors (Schneider or Equivalent)	No	7		
73	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10		
74	Control Cable 14AWG	Coils	4		
75	Control Cable 7/29	Coils	4		
76	Control Cable 3/29	Coils	4		
77	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1		
78	GI Flow Pipe 5" dia for Pre-Section	ft	675		
79	GI Flow Pipe 18" dia for Pre-Section	ft	600		
80	GI Flow Pipe 5" dia Bends & Elbow different dia (15°,25°,35°,45°)	No	70		

81	GI Flow Pipe 18" dia Bends & Elbow different dia (15°,25°,35°,45°)	No	70		
82	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	3000		
83	Power Cable 7/29	m	200		
84	Power Cable 3/29	m	200		
85	Stacker conveyer complete in all respects including structure	ft	25		
86	Optical Sensor including installation from panel to device (To measure the availability of material on conveyers)	No	5		
87	Level Sensor including installation from panel to device (To measure the level of dry seeds in chambers)	No	5		
88	Relay (24 VDC,0.5-2A)	No	7		
89	Magnetic Contactor (3P, 5-32A)	No	7		
90	Over Current Relay (5-100A)	No	13		
91	Circuit Breaker (3P, 5-32A)	No	7		
92	Power Supply (24VDC 10A)	No	1		
93	HMI 10" display (PN/IE supported color display)	No	1		
94	Power Supply for control system (24VDC 10A)	No	1		
95	Supply of MS mesh (screen) 20 gauge Size 55" X 8' 2.25mm+2.335mm+2.40mm	Set	32		
Services					
96	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Service s	1		
97	Complete Overhauling of Aspiration System by replacing belts, bearings, wires & new fans if required and bringing complete aspiration system to proper working condition	Service s	1		
98	Overhauling of 8 Elevators and allied parts including replacement of cover, hopper, wheel worm, shaft, processing V, with bearing and repairing cleaner with elevator, jock, bush, bearing	Service s	1		

	shaft & different size hopper & pipes replace and complete overhauling				
99	Installation and commissioning of Complete Automation System (PLC modules to take feed back and control of all process. Supports PN/IE protocol, optical sensors, humidity sensors, temp sensors. I/O count : DI:50, DO 60, temp 56, humidity 56, display and power supplies including calibration, Programming and Process visualization (Data logging, report generation, alarm logging, alarm alerts, interlocking, process automation, process simulation))	Service s	1		
100	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Service s	1		

KHANEWAL (LOT-2)

Sr. No	Description	Unit	Qty	Unit Price (Rs.)	Amount (Rs.)
1	Conveyer Belt W=16" 2 Ply	ft	900		
2	Conveyer Belt Rollers, 7" × 2"	No	900		
3	Conveyer Belt Rollers, 15.5" × 2"	No	225		
4	Conveyer Belt Rollers, 17.5" × 2"	No	360		
5	Roller Holding Strips	No	1,350		
6	Shaft 50mm × 66"	No	5		
7	Oil Seal 85 × 110 × 12	No	21		
8	Oil Seal 90 × 110 × 12	No	21		
9	Motor Winding 99.9% copper Wire. 22 No (50kg), 25 No (10kg), 18 No (20kg), 27 No (10kg)	kg	90		
10	Square flow Pipe line 6" × 6" (14 Gauge) for aspiration system	ft	675		
11	Square flow Pipe line 8" × 8" (14 Gauge) for aspiration system	ft	45		
12	Bend Shutter Elbow 6" × 6" (14 Gauge) for aspiration system	No	65		
13	Bend Shutter Elbow 8" × 8", (14 Gauge) for aspiration system	No	4		
14	Wood Partal or equivalent for decks cut to required sizes	Cft	36		
15	Elevator Belt , 9" 3ply	ft	65		
16	Elevator Belt , 7.5" 3ply	ft	270		
17	Elevator Belt , 6" 2ply	ft	400		
18	Bucket 8.5" (Plastic)	No	200		
19	Bucket 7" (Plastic)	No	200		
20	Bucket 5.5" (Plastic)	No	400		
21	V Belt different size (A,B,C,D,E and Z)	No	100		

22	Belt Pulleys of superior quality different sizes	kg	35		
23	Ball Bearing 6202 ZZ (SKF or equivalent)	No	20		
24	Ball Bearing 6203 ZZ (SKF or equivalent)	No	20		
25	Ball Bearing 6204 ZZ (SKF or equivalent)	No	20		
26	Ball Bearing 6205 ZZ (SKF or equivalent)	No	20		
27	Ball Bearing 6206 ZZ (SKF or equivalent)	No	10		
28	Ball Bearing 6208 ZZ (SKF or equivalent)	No	10		
29	Ball Bearing 6209 K with bush H209 (40) (SKF or equivalent)	No	16		
30	Ball Bearing 6210 ZZ (SKF or equivalent)	No	4		
31	Ball Bearing 6305 ZZ (SKF or equivalent)	No	6		
32	Ball Bearing 6306 ZZ (SKF or equivalent)	No	20		
33	Ball Bearing 6307 ZZ (SKF or equivalent)	No	4		
34	Ball Bearing 6308 ZZ (SKF or equivalent)	No	4		
35	Ball Bearing 6309 ZZ (SKF or equivalent)	No	2		
36	Ball Bearing 6310 ZZ (SKF or equivalent)	No	2		
37	Ball Bearing 6311 ZZ (SKF or equivalent)	No	2		
38	Ball Bearing 6313 ZZ (SKF or equivalent)	No	2		
39	Ball Bearing 6209 K (SKF or equivalent)	No	4		
40	Ball Bearing UEL 207 K (SKF or equivalent)	No	4		
41	Ball Bearing UEL 210 (50mm) and Body F 210 (SKF or equivalent)	No	20		
42	Ball Bearing UEL 208 and Body F 208 (SKF or equivalent)	No	2		
43	Ball Bearing UEL 206 (30mm) and Body F 206 (SKF or equivalent)	No	12		
44	Ball Bearing UEL 207 with Body F207 (40) P207(26) (SKF or equivalent)	No	24		
45	Ball Bearing UEL 1218 K with cam bush (40) and cam body (40)(SKF or equivalent)	No	12		

46	Ball Bearing UEL 1211K with cam bush (30) and cam body (30)(SKF or equivalent)	No	10		
47	Ball Bearing 16015 (SKF or equivalent)	No	16		
48	UC 212 Bearing and Body F212 (SKF or equivalent)	No	4		
49	UC 208 Bearing and Body T208 (SKF or Equivalent)	No	6		
50	Motor Back Covers upto 22 KW	No	30		
51	Motor Fans upto 22KW	No	30		
52	Push Buttons Motor ON (16mm)	No	40		
53	Push Buttons Motor OFF (16mm)	No	40		
54	2 HP New Motor with gear box of RPM 25	No	1		
55	New Indent Cylinder variable gear box with new motors of 2HP (20-32 RPM)	No	3		
56	New blower variable gear box with new motors of 7.5 HP (Upto 400 RPM)	No	1		
57	New gear box with motor of 1.5HP for elevators (160 RPM)	No	3		
58	New motor of 3HP with 900 rpm (ASIA, ABB or equivalent)	No	1		
59	New motor of 3HP with 1400 rpm (ASIA, ABB or equivalent)	No	4		
60	Power Cables 7/36 Single core electric wire 99.9% copper	Coil	4		
61	Power Cables 7/29 Single core electric wire 99.9% copper	Coil	4		
62	Power Cables 3/29 Single core electric wire 99.9% copper	Coil	4		
63	Grease Non Drop for plant components	kg	30		
64	Gear Oil	liter	45		
65	Welding Rod, 10 No	Box	10		
66	Welding Rod, 12 No	Box	10		
67	Contactor (32 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	10		
68	Contactor(21 Ampere) for 20HP/15kw Motors (Schneider or Equivalent)	No	6		

69	Contactora(16 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	6		
70	Contactora(11 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10		
71	Contactora(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
72	Contactora(5.5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	6		
73	Contactora(3.5 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	18		
74	Contactora(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15		
75	Contactora(1.60 Ampere) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	15		
76	Overload (30-38A) for 30HP/22kw Motors (Schneider or Equivalent)	No	10		
77	Overload (18-21A)for 20HP/15kw Motors (Schneider or Equivalent)	No	6		
78	Overload(14-16A) for 15HP/11kw Motors (Schneider or Equivalent)	No	6		
79	Overload (9-12A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10		
80	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
81	Overload(4.5-5.5A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	6		
82	Overload(2.5-4A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	18		
83	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	15		
84	Overload(1-1.5A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	15		
85	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	5		
86	Circuit Breaker (63A)for 20HP/15kw Motors (Schneider or Equivalent)	No	5		
87	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	5		
88	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	5		
89	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
90	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10		
91	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	20		

92	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	20		
93	Circuit Breaker (6A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	10		
94	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10		
95	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	3000		
96	Control Cable 14AWG	Coils	2		
97	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1		
	Services				
98	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1		
99	Complete Overhauling of Aspiration System by installing new belts new GI pipes , bearings, wires & new fan rotors	Services	1		
100	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1		

RAHIM YAR KHAN (LOT-3)

Sr. No.	Description	Unit	Qty	Unit Price (Rs.)	Amount (Rs.)
1	Storage Bin Plate L=4'11" Width 3'2" (MS Gauge 14)	No	14		
2	CAM body 1218	No	4		
3	CAM bush 1218	No	4		
4	Shaft 50mm × 66"	No	1		
5	Gear Oil	Liters	30		
6	Grease Non Drop	kg	30		
7	Oil Seals	No	30		
8	Welding Rods 10 & 12 No	box	6		
9	Cutting Disc 5", 7"	No	10		
10	Grinding Disc 7"	No	5		
11	Motor Winding Copper Wire, Gauge No 17-23	kg	60		
12	Wood Partal or equivalent for decks cut to required sizes	cft	10		
13	Elevator Belt Width 10" 3ply	ft	45		
14	Elevator Belt Width 8" 3ply	ft	145		
15	Elevator Belt Width 6" 2ply	ft	290		
16	Bucket 9" D Type 10" (Steel) for elevators	ft	50		
17	Bucket 7" D type (Heavy Duty Plastic) for elevators	No	200		
18	Bucket 5" D type (Heavy Duty Plastic) for elevators	No	200		
19	V Belt different size(A,B,C,D,E and Z)	No	50		
20	Belt Pulleys of superior quality different sizes	kg	50		
21	Ball Bearing 6202 ZZ (SKF or equivalent)	No	10		

22	Ball Bearing 6203 ZZ (SKF or equivalent)	No	10		
23	Ball Bearing 6204 ZZ (SKF or equivalent)	No	10		
24	Ball Bearing 6205 ZZ (SKF or equivalent)	No	10		
25	Ball Bearing 6206 ZZ (SKF or equivalent)	No	10		
26	Ball Bearing 6207 ZZ (SKF or equivalent)	No	2		
27	Ball Bearing 6304 ZZ (SKF or equivalent)	No	6		
28	Ball Bearing 6305 ZZ (SKF or equivalent)	No	4		
29	Ball Bearing 6306 ZZ (SKF or equivalent)	No	12		
30	Ball Bearing 6307 ZZ (SKF or equivalent)	No	2		
31	Ball Bearing 6308 ZZ (SKF or equivalent)	No	3		
32	Ball Bearing 6309 ZZ (SKF or equivalent)	No	3		
33	Ball Bearing 6310 ZZ (SKF or equivalent)	No	3		
34	Ball Bearing 6311 ZZ (SKF or equivalent)	No	2		
35	Ball Bearing 6313 ZZ (SKF or equivalent)	No	1		
36	Ball Bearing 1209 K with bush (SKF or equivalent)	No	3		
37	Ball Bearing UEL 210 (SKF or equivalent)	No	3		
38	Ball Bearing UEL 207-107 (SKF or equivalent)	No	3		
39	Ball Bearing UEL 1218 K (SKF or equivalent)	No	6		
40	Ball Bearing UEL 1211K with bush (SKF or equivalent)	No	6		
41	Ball Bearing UEL 212 (SKF or equivalent)	No	1		
42	Ball Bearing UEL F 212 (SKF or equivalent)	No	1		
43	Ball Bearing UEL P 207 (SKF or equivalent)	No	1		
44	Ball Bearing UEL H-209 (SKF or equivalent)	No	1		
45	Bearing UC-210 (SKF or equivalent)	No	10		
46	Bearing UC-207 (SKF or equivalent)	No	10		

47	Bearing 16015 (SKF or equivalent)	No	6		
48	Bearing UC-205 (SKF or equivalent)	No	6		
49	Supply of Electric Motor, RPM=1450, 3HP, with gear box RPM 32-35	No	1		
50	Supply of Electric Motor, RPM=1450, 3HP, with gear box RPM 25-28	No	1		
51	Jute/Plastic bags stitching machine (Double Thread Double Needle) Japan/Taiwan	No	1		
52	Roller for Belt Conveyor L=18", dia=2"	No	150		
53	Roller for Belt Conveyor L=7", dia=2"	No	300		
54	Roller for Belt Conveyor L=15.5", dia=2"	No	50		
55	Roller for Belt Conveyor L=22", dia=1.5"	No	50		
56	Roller for Belt Conveyor L=5", dia=1.5"	No	600		
57	Roller for Belt Conveyor L=12", dia=1.5"	No	200		
58	Conveyor Belt W=16", 3 ply, with (hot vulcanizing joint)	Rft	1000		
59	Conveyor Belt W=11", 3 ply, with joint (hot vulcanizing joint)	Rft	100		
60	Conveyor Belt W=12", 3 ply, with joint (hot vulcanizing joint)	Rft	170		
61	Motor Back Covers upto 22kw	No	30		
62	Motor Fans upto 22kw	No	30		
63	Push Buttons Motor ON	No	100		
64	Push Buttons Motor OFF	No	100		
65	Contactora (70 Ampere) for 30HP/22kw Motors (Schneider or Equivalent)	No	10		
66	Contactora(50 Ampere) for 20HP/15kw Motors (Schneider or Equivalent)	No	6		
67	Contactora(32 Ampere) for 10HP/7.5kw Motors (Schneider or Equivalent)	No	10		
68	Contactora(21 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
69	Contactora(16 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10		
70	Contactora(11 Ampere) for 3HP/2.3kw Motors (Schneider or Equivalent)	No	10		

71	Overload (30-45A) for 30HP/22kw Motors (Schneider or Equivalent)	No	2		
72	Overload (22-36A)for 20HP/15kw Motors (Schneider or Equivalent)	No	2		
73	Overload (10-18A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	2		
74	Overload(9-13A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
75	Overload(4-8A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	5		
76	Overload(2.2-6A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	14		
77	Circuit Breaker (63A) for 30HP/22kw Motors (Schneider or Equivalent)	No	4		
78	Circuit Breaker (50A)for 20HP/15kw Motors (Schneider or Equivalent)	No	4		
79	Circuit Breaker (32A)for 10HP/7.5kw Motors (Schneider or Equivalent)	No	6		
80	Circuit Breaker (21A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	10		
81	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	10		
82	Circuit Breaker (10A) for 3HP/2.3kw Motors(Schneider or Equivalent)	No	20		
83	Main Electric Trolley for 11 KV Transformer	No	1		
84	Electric Pannel Box Dimension 6ft x 6ft 14SWG with metallic strips	No	1		
85	Electric Pannel Box Dimension 3ft x 6ft 14SWG with metallic strips	No	1		
86	Electric Change Over 1000 Ampere	No	1		
87	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	10		
88	Electric Wire 7/44	Coil	4		
89	Electric Wire 3/29	Coil	1		
90	Square Duct Ractangular 6"x 6" (MS Gauge 14)	Ft	50		
91	Square Junction Duct for 6"x6" duct (MS Gauge 14)	No	18		
92	Two Way Valve for ducts (MS Gauge 14)	No	3		
93	Elbow for ducting (MS Gauge 14)	No	60		

94	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	1000		
95	Wood Partal or equivalent for decks cut to required sizes	Cft	40		
96	Complete repair of Fork Lifter alongwith new battery & Tyres to bring it into proper working Condition	Job	1		
97	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bults and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.	Job	1		
Services					
98	Complete Overhauling of Aspiration System by replacing all Ducting pipeline, belts, bearings, wires & fans if required and bringing complete aspiration system to proper working condition	Servi ces	1		
99	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Servi ces	1		

PIPLAN (LOT-4)

Sr. No.	Description	Unit	Qty	Unit Price (Rs.)	Amount (Rs.)
1	Motor Winding Copper Wire, Gauge No 19-23	kg	40		
2	Square flow G.I Pipe line 6" × 6" (14 Gauge) for aspiration system	ft	150		
3	Bend Shutter Elbow 6" × 6" for aspiration system	No	20		
4	Belt E4, 7" 3ply	ft	50		
5	Belt E7, 7" 3ply	ft	50		
6	V Belt B47	No	4		
7	V Belt B49	No	4		
8	V Belt B50	No	4		
9	V Belt B52	No	4		
10	V Belt B75	No	4		
11	V Belt B110	No	4		
12	V Belt B134	No	4		
13	V Belt B100	No	4		
14	V Belt A93	No	4		
15	V Belt A100	No	4		
16	V Belt B54	No	7		
17	V Belt B56	No	7		
18	V Belt B55	No	7		
19	B2 6" complete solid pulley (bore will be done by PSC Plant as required)	Kg	8		
20	B2 5" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1		
21	B 10" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1		
22	B 3.5" complete solid pulley (bore will be done by PSC Plant as required)	Kg	1		

23	Pulley Width 6" x Height 10"	Kg	2		
24	Variable Pulley 8"	Kg	8		
25	Ball Bearing 6203 ZZ (SKF or equivalent)	No	2		
26	Ball Bearing 6204 ZZ (SKF or equivalent)	No	3		
27	Ball Bearing 6205 ZZ (SKF or equivalent)	No	2		
28	Ball Bearing 6206 ZZ (SKF or equivalent)	No	2		
29	Ball Bearing 6208 ZZ (SKF or equivalent)	No	2		
30	Ball Bearing 6309 ZZ (SKF or equivalent)	No	2		
31	Bearing UC-210 (SKF or equivalent)	No	6		
32	Bearing UC-204 (SKF or equivalent)	No	2		
33	Bearing UC-206 (SKF or equivalent)	No	2		
34	Bearing UC-207 (SKF or equivalent)	No	2		
35	Bearing UC-208 with round bracket/house (SKF or equivalent)	No	13		
36	Bearing UC-208 with square bracket/house (SKF or equivalent)	No	3		
37	Bearing UC-209 (SKF or equivalent)	No	4		
38	Motor Back Covers for Cyclo Fan Motor 15HP	No	1		
39	Motor Fans for 15HP Motor	No	2		
40	Push Buttons Motor ON	No	30		
41	Push Buttons Motor OFF	No	30		
42	Contactors (22.5 Ampere) for 15HP/11kw Motors (Schneider or Equivalent)	No	3		
43	Contactors(8 Ampere) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	5		
44	Contactors(5 Ampere) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	5		
45	Contactors(4.20 Ampere) for 3HP/2.25kw Motors (Schneider or Equivalent)	No	2		
46	Contactors(2.20 Ampere) for 2HP/1.5kw Motors (Schneider or Equivalent)	No	8		

47	Contactora(1.60 Ampere) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	2		
48	Contactora(0.45 Ampere) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	2		
49	Overload (12-15A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1		
50	Overload(6-8A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	2		
51	Overload(4-5A) for 5HP/3.7kw Motors (Schneider or Equivalent)	No	2		
52	Overload(4-5A) for 3HP/2.25kw Motors(Schneider or Equivalent)	No	1		
53	Overload (1.6-2.5A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	2		
54	Overload(1-1.5A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	2		
55	Overload(0.1-0.5A) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	2		
56	Circuit Breaker(32A) for 15HP/11kw Motors (Schneider or Equivalent)	No	1		
57	Circuit Breaker (16A) for 7.5HP/5.5kw Motors (Schneider or Equivalent)	No	2		
58	Circuit Breaker (16A) for 5HP/3.75kw Motors (Schneider or Equivalent)	No	1		
59	Circuit Breaker (10A) for 3HP/2.25kw Motors(Schneider or Equivalent)	No	4		
60	Circuit Breaker (6A)for 2HP/1.5kw Motors (Schneider or Equivalent)	No	4		
61	Circuit Breaker (6A) for 1.5HP/1.10kw Motors (Schneider or Equivalent)	No	1		
62	Circuit Breaker (6A) for 0.33HP/0.24kw Motors (Schneider or Equivalent)	No	1		
63	Circuit Breaker (30A) (Schneider or Equivalent)	No	2		
64	Circuit Breaker (50A) (Schneider or Equivalent)	No	2		
65	Circuit Breaker (300A) (Schneider or Equivalent)	No	1		
66	Digital Ampere Meter for Panel	No	1		
67	Digital Voltmeter Panel	No	1		
68	Gear Oil	Ltr	10		
69	Grease Non-Drop	Kg	10		

70	Roller for conveyer (4.5" with bearing)	No	20		
71	Roller for conveyer (6" with bearing)	No	10		
72	Roller for conveyer (16" with bearing)	No	10		
73	Shaft for Gravity Machine (with bearing No.6309)	No	1		
74	MS Angle Channel Sheets Pipes etc of various sizes including cutting welding grinding and fixing as per sizes	Kg	1000		
75	Power Cable 7/29 Single core electric wire 99.9% copper	Coil	2		
76	Power Cables 7/36 Single core electric wire 99.9% copper	Coil	3		
77	Power Cable 10mm ² Single core electric wire 99.9% copper	Coil	1		
78	Power Cables Wire 7/44 Single core electric wire 99.9% copper	Coil	1		
79	Power Cables Wire 3/29 Single core electric wire 99.9% copper	Coil	1		
80	Change Over 300A (Handle)	No	1		
81	Thimble (3mm to 50mm) (1 dozen for each)	Dozen	4		
82	Control Cable 14AWG	Coil	2		
83	PVC Connector 30A	No	2		
84	PVC Connector 60A	No	2		
85	PVC Connector 100A	No	2		
86	PVC Connector 150A	No	2		
87	Conveyor Belt 3 ply double sided with hot vulcanizing joint W=13", Roller L=14"	Rft	170		
88	Timer for Star Delta 0 to 60 sec with base (Schneider or Equivalent)	No	4		
89	General Earthing for Plant. Plate Type Earthing System, Earth Electrode for earthing of DBs shall comprise of 75mm x 4877 mm x 6 mm thick copper plate With 4 Nos. 6 mm dia brass nuts ,bolts and washers 70 sqmm HDHC copper wire as earthing leads. A 100 mm dia Medium Duty GI pipe shall be used with 10 mm dia holes @500 mm c-c. The total length of this GI pipe should be 45 ft. A 150 mm dia 60 ft long hole should be drilled in ground by percussion method and above	Job	1		

	mentioned 100 mm dia medium duty GI pipe should be fixed in this hole simultaneously up to the depth of 45 ft from NSL.				
	Services				
90	Complete Overhauling of Weigh Bridge and bringing weigh bridge to proper working condition	Services	1		
91	Complete Overhauling of Aspiration System by replacing belts, bearings, wires & installing new fans (as per sample) if required and bringing complete aspiration system to proper working condition	Services	1		
92	Complete overhauling of entire plant all sections Electrical Panels Mechanical repairs and replacement of items detailed above	Services	1		

8.8 Bidder's JV Members Information Form

{To be reproduced and signed & stamped by the lead partner and all JV members on their letter Pad, to be attached with Technical Bid in addition to the JV agreement}

{The Bidder shall fill in this Form in accordance with the instructions indicated below. The following table shall be filled in for the Bidder and for each member of a Joint Venture}.

Date: *[insert date (as day, month and year) of Bid submission]*

RFB No.: *[insert number of RFB process]*

Alternative No.: *[insert identification No if this is a Bid for an alternative]*

Page _____ of _____ pages

1. Bidder's Name: <i>[insert Bidder's legal name]</i>
2. Bidder's JV Member's name: <i>[insert JV's Member legal name]</i>
3. Bidder's JV Member's country of registration: <i>[insert JV's Member country of registration]</i>
4. Bidder's JV Member's year of registration: <i>[insert JV's Member year of registration]</i>
5. Bidder's JV Member's legal address in country of registration: <i>[insert JV's Member legal address in country of registration]</i>
6. Bidder's JV Member's authorized representative information Name: <i>[insert name of JV's Member authorized representative]</i> Address: <i>[insert address of JV's Member authorized representative]</i> Telephone/Fax numbers: <i>[insert telephone/fax numbers of JV's Member authorized representative]</i> Email Address: <i>[insert email address of JV's Member authorized representative]</i>
7. Attached are copies of original documents of <i>[check the box(es) of the attached original documents]</i> ☐ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITB 4.4. ☐ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Purchaser, in accordance with ITB 4.6.
8. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

8.9. Affidavit

[To be printed on Bidder's Letterhead. To be attached with Technical Bid]

Name: _____

(Applicant)

I, the undersigned, do hereby certify that all the statements made in the Bidding document and in the supporting documents are true, correct and valid to the best of my knowledge and belief and may be verified by employer if the Employer, at any time, deems it necessary.

The undersigned hereby authorize and request the bank, person, company or corporation to furnish any additional information requested by the *[name of Procuring Agency]* of the Punjab deemed necessary to verify this statement regarding my (our) competence and general reputation.

The undersigned understands and agrees that further qualifying information may be requested and agrees to furnish any such information at the request of the *[name of Procuring Agency]*. The undersigned further affirms on behalf of the firm that:

- (i) The firm is neither currently blacklisted by any Department nor any litigation is pending before PPRA or any other court of law competence in this regard against any such blacklisting order.
- (ii) The documents/photocopies provided with Bid are authentic. In case, any fake/bogus document was found at any stage, the firm shall be blacklisted as per Law/ Rules.
- (iii) Affidavit for correctness of information.
- (iv) Contractor/firm is not blacklisted or subject to any pending litigation with any Government or Public Department

[Name of the Contractor/ Bidder/ Supplier] undertakes to treat all information provided as confidential.

Signed by an authorized Officer of the company

Title of Officer: _____

Name of Company: _____

Date: _____

8.10. Bid Security Form (In Case of Bank Guarantee)

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

Whereas *[name of the Bidder]* (hereinafter called “the Bidder”) has submitted its Bid dated *[date of submission of Bid]* for the supply of *[name and/or description of the goods]* (hereinafter called “the Bid”).

KNOW ALL PEOPLE by these presents that WE *[name of bank]* of *[name of country]*, having our registered office at *[address of bank]* (hereinafter called “the Bank”), are bound unto *[name of Procuring Agency]* (hereinafter called “the Procuring Agency”) in the sum of for which payment well and truly to be made to the said Procuring Agency, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this ____ day of _____ 20 ____.

THE CONDITIONS of this obligation are:

1. If the Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Form; or
2. If the Bidder, having been notified of the acceptance of its Bid by the Procuring Agency during the period of Bid validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the Instructions to Bidders;

we undertake to pay to the Procuring Agency up to the above amount upon receipt of its first written demand, without the Procuring Agency having to substantiate its demand, provided that in its demand the Procuring Agency will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including thirty (30) days after the period of Bid validity, and any demand in respect thereof should reach the Bank not later than the above date.

[Signature of the bank]

8.11. Performance Guarantee Form (In Case of Bank Guarantee)

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

To,

[name and address of the Procuring Agency]

WHEREAS (Name _____ of _____ the Contractor/ _____ Supplier) hereinafter called "the Contractor" has undertaken, in pursuance of "INVITATION TO BID FOR THE **"PROVISION OF _____"** procurement of the following:

1. *[Please insert details]*.

(Here in after called "the Contract").

AND WHEREAS it has been stipulated by you in the Contract that the Contractor shall furnish you with a bank guarantee by a scheduled bank for the sum specified therein as security for compliance with the Contractor's performance obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor a Guarantee;

THEREFORE WE hereby affirm that we are Guarantor and responsible to you, on behalf of the Contractor, up to a total of _____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the Contractor to be in default under the Contract, and without cavil or argument, any sum or sums as specified by you, within the limits of _____ (Amount of Guarantee) as aforesaid without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until _____ day of _____, 20____, or _____ [insert number of days] after the rectification of the Defects, whichever is later.

[NAME OF GUARANTOR]

Signature _____

Name _____

Title _____

Address _____

Seal _____

Date _____

8.12. Contract Form

[Draft]

THIS AGREEMENT made on the _____ day of _____ 20____ between *[name of Procuring Agency]* of *[country of Procuring Agency]* (hereinafter called “the Procuring Agency”) on the one part and *[name of Supplier]* of *[city and country of Supplier]* (hereinafter called “the Supplier”) on the other part:

WHEREAS the Procuring Agency invited Bids for certain goods and ancillary services, viz., *[brief description of goods and services]* and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures]* (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

- (a) the Bid Form and the Price Schedule submitted by the Bidder;
- (b) the Schedule of Requirements;
- (c) the Technical Specifications;
- (d) the General Conditions of Contract;
- (e) the Special Conditions of Contract; and
- (f) the Procuring Agency’s Notification of Award.
- (g) Contract agreement
- (h) Complete Bidding document

3. In consideration of the payments to be made by the Procuring Agency to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Procuring Agency to provide the goods and services and to rectify defects therein in conformity with all respects in accordance with the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the rectification of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year mentioned above.

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Signed, sealed, delivered by _____ the _____ (for the Supplier)

Section IX- Check List

[To be signed and stamped and presented on Bidder's letter head pad]

The provision of this checklist is an essential prerequisite along with submission of tenders (with technical proposal).

Sr. #	Detail	Responsive	Non-Responsive
1	Original receipt for purchase of tender along with Bidding Documents.		
2	Bid Security which is 2% Approx. of the estimated price (provided with technical proposal), in the form of Bank Guarantee Form 8.10/Demand Draft/CDR/Pay Order, the Bid Security is as per PPRA Rule # 27 which states "The procuring agency may require the bidders to furnish a bid security not exceeding five per cent of the estimated price. The Bid security must be submitted with technical proposal ."		
3	General Information Form 8.1 and Bidder's Profile Information 8.2		
4	Technical Bid Form 8.3		
5	Financial Capability Form 8.4		
6	Relevant Experience Form 8.5		
7	Financial Bid Form 8.6 (To be attached with financial proposal)		
8	Price Schedule Form 8.7 (To be attached with financial proposal)		
9	JV Information Form 8.8 (If applicable)		
10	Affidavit 8.9		
11	Active Registration with Income Tax Authorities (National Tax Number NTN GST PRA etc). All Relevant documents detailed in Basic/ Knock down Criteria		

Note: The complete bid must be signed and stamped

Stamp & Signature of Bidder _____